

For Research Use Only

PPM1A Polyclonal antibody

Catalog Number: 12961-1-AP **3 Publications**



Basic Information

Catalog Number: 12961-1-AP	GenBank Accession Number: BC026691	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 900 µg/ml by Nanodrop and 333 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 5494	Recommended Dilutions: WB 1:1000-1:8000 IHC 1:500-1:2000
Source: Rabbit	Full Name: protein phosphatase 1A (formerly 2C), magnesium-dependent, alpha isoform	
Isotype: IgG	Calculated MW: 382 aa, 42 kDa	
Immunogen Catalog Number: AG3645	Observed MW: 42 kDa	

Applications

Tested Applications:

IHC, WB, ELISA

Cited Applications:

Cell treatment, IF, WB

Species Specificity:

human, mouse, rat

Cited Species:

mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: Jurkat cells, HepG2 cells, human liver tissue, rat kidney tissue, mouse kidney tissue, K-562 cells

IHC: human breast cancer tissue, human urothelial carcinoma tissue

Background Information

PPM1A (Protein phosphatase 1A) is also named as PPPM1A and belongs to the PP2C family. It is a serine/threonine protein phosphatase that is essential for regulating cellular stress responses in eukaryotes. PPM1A plays an important role in tumor suppression and that it negatively controls many signaling pathways which are critical for trophoblast invasion. (PMID:19404668). This protein distributes in both the cytoplasm and nucleus of mammalian cells (PMID:9003755). It has 2 isoforms produced by alternative splicing.

Notable Publications

Author	Pubmed ID	Journal	Application
Haibin Tian	36185374	iScience	IF
Aozora Nagaoka	35491170	Biol Pharm Bull	WB
Katyayanee Neopane	36543129	Cell Rep	Cell treatment

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

***** 20ul sizes contain 0.1% BSA**


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 12961-1-AP (PPM1A antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 12961-1-AP (PPM1A antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 12961-1-AP (PPM1A antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).