For Research Use Only

NUP85 Polyclonal antibody

Catalog Number:15027-1-AP




Basic Information	Catalog Number: 15027-1-AP	GenBank Accession Numb BC000697	ber: Purification Method: Antigen affinity purification
	Size: 150ul , Concentration: 600 µg/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG7158	GeneID (NCBI): 79902	Recommended Dilutions: WB 1:500-1:2000
		Full Name: nucleoporin 85kDa Calculated MW: 75 kDa Observed MW: 60 kDa	IHC 1:250-1:1000 IF 1:200-1:800
Applications	Tested Applications: IF, IHC, WB, ELISA		sitive Controls: B : COLO 320 cells, HepG2 cells
	Species Specificity: human, mouse, rat		C : rat brain tissue, human stomach cancer tissue, buse brain tissue, mouse testis tissue
	Note-IHC suggested antigen retrieval with		: U2OS cells, MCF-7 cells
Background Information	This gene encodes a protein component of the Nup107-160 subunit of the nuclear pore complex. NPCs are key for nucleocytoplasmic transport, but also regulate the mitotic machinery, transcription and chromatin organization through transport-independent mechanisms. The NUP107-160 complex is acknowledged to contribute to the assembly and maintenance of the NPC structure. Members of this largest subcomplex of the NPC associate with kinetochores, mitotic spindles, centrosomes and mitotic checkpoint regulators for proper completion of the cell cycle. Downregulation of NUP107-160 subcomplex members resulted in defective cytokinesis, compromised microtubule structures, altered cytoskeletal dynamics, impaired chromosome segregation and differentiation. (PMID:34170319)		
Storage	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50	% glycerol pH 7.3.	
*** 20ul sizes contain 0.1% BSA	Aliquoting is unnecessary for -20 $^{\circ}$ C s	torage	


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 15027-1-AP (NUP85 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 15027-1-AP (NUP85 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat brain tissue slide using 15027-1-AP (NUP85 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed U2OS cells using NUP85 antibody (15027-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594phalloidin (red).