### For Research Use Only

# RASIP1 Polyclonal antibody

Catalog Number: 17971-1-AP

3 Publications



**Basic Information** 

Catalog Number: 17971-1-AP

Size: GeneID (NCBI):

150ul , Concentration: 500  $\mu$ g/ml by 54922 Nanodrop and 287  $\mu$ g/ml by Bradford Full Name:

method using BSA as the standard;

Source: Calculated MW:
Rabbit 963 aa, 103 kDa
Isotype: Observed MW:
IgG 115 kDa

Immunogen Catalog Number:

AG11982

**Purification Method:** 

WB 1:1000-1:4000

Antigen affinity purification

**Recommended Dilutions:** 

IP 0.5-4.0 ug for IP and 1:500-1:1000

for WB IHC 1:50-1:500 IF 1:10-1:100

**Applications** 

Tested Applications:

IF, IHC, IP, WB, ELISA

**Cited Applications:** 

IF, WB

Species Specificity: human, mouse, rat

Cited Species:

mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: mouse lung tissue, rat lung tissue

IP: mouse lung tissue,
IHC: human lung tissue,
IF: HepG2 cells,

## **Background Information**

RASIP1, also named as Ras-interacting protein 1 or Rain, is a 963 amino acid protein, which contains one dilute domain and one Ras-associating domian. RASIP1 is highly expressed in heart and detected at lower levels in placenta and pancreas. RASIP1 is required for the proper formation of vascular structures that develop via both vasculogenesis and angiogenesis. RASIP1 acts as a critical and vascular-specific regulator of GTPase signaling, cell architecture, and adhesion, which is essential for endothelial cell morphogenesis and blood vessel tubulogenesis.

GenBank Accession Number:

Ras interacting protein 1

BC028614

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Alexandra Le Bras	29191922	Arterioscler Thromb Vasc Biol	IF
Gerel Melig	37553580	Inflamm Regen	IF
Wenjie Shi	37331689	Neuroscience	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 17971-1-AP (RASIP1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lung tissue slide using 17971-1-AP (RASIP1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP Result of anti-RASIP1 (IP:17971-1-AP, 4ug; Detection:17971-1-AP 1:500) with mouse lung tissue lysate 4000ug.



Immunofluorescent analysis of HepG2 cells using 17971-1-AP (RASIP1 antibody) at dilution of 1:25 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).