

For Research Use Only

HOXB1 Polyclonal antibody

Catalog Number: 18732-1-AP **1 Publications**



Basic Information

Catalog Number: 18732-1-AP	GenBank Accession Number: BC096193	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 160 µg/ml by Nanodrop and 133 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 3211	Recommended Dilutions: WB 1:200-1:1000
Source: Rabbit	Full Name: homeobox B1	
Isotype: IgG	Calculated MW: 32 kDa	
	Observed MW: 38-44 kDa	

Applications

Tested Applications: WB,ELISA	Positive Controls: WB : mouse liver tissue,
Cited Applications: WB	
Species Specificity: human, mouse	
Cited Species: human	

Background Information

HOXB1, also named as HOX2L, belongs to the Antp homeobox family and the Labial subfamily. HOXB1 is sequence-specific transcription factor which is part of a developmental regulatory system that provides cells with specific positional identities on the anterior-posterior axis. HOXB1 acts on the anterior body structures. Establishment of the spatial colinearity in the embryo is directly controlled by the Hox genes themselves. 18732-1-AP is a rabbit polyclonal antibody raised against a peptide mapping within an internal region of human.

Notable Publications

Author	Pubmed ID	Journal	Application
Jianyong Xiong	34488545	Bioengineered	WB

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

***** 20ul sizes contain 0.1% BSA**

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



mouse liver tissue were subjected to SDS PAGE followed by western blot with 18732-1-AP (HOXB1 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.