

For Research Use Only

# GLIS1 Polyclonal antibody

Catalog Number: 23138-1-AP **1 Publications**



## Basic Information

<b>Catalog Number:</b> 23138-1-AP	<b>GenBank Accession Number:</b> BC101799	<b>Purification Method:</b> Antigen Affinity purified
<b>Size:</b> 150ul , Concentration: 550 µg/ml by Nanodrop and 340 µg/ml by Bradford method using BSA as the standard;	<b>GeneID (NCBI):</b> 148979	<b>Recommended Dilutions:</b> WB 1:200-1:1000 IHC 1:50-1:500
<b>Source:</b> Rabbit	<b>Full Name:</b> GLIS family zinc finger 1	
<b>Isotype:</b> IgG	<b>Calculated MW:</b> 620 aa, 66 kDa	
<b>Immunogen Catalog Number:</b> AG19214	<b>Observed MW:</b> 66 kDa	

## Applications

<b>Tested Applications:</b> IHC, WB, ELISA	<b>Positive Controls:</b> WB : Jurkat cells, IHC : mouse ovary tissue,
<b>Cited Applications:</b> WB	
<b>Species Specificity:</b> human, mouse	
<b>Cited Species:</b> human	
<b>Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0</b>	

## Background Information

### Notable Publications

Author	Pubmed ID	Journal	Application
Jiazhen Huang	38157104	Reprod Sci	WB

## Storage


**Storage:**  
Store at -20°C. Stable for one year after shipment.  
**Storage Buffer:**  
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.  
Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)  
E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Immunohistochemical analysis of paraffin-embedded mouse ovary tissue slide using 23138-1-AP (GLIS1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Jurkat cells were subjected to SDS PAGE followed by western blot with 23138-1-AP (GLIS1 Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.