

For Research Use Only

# PEG3 Polyclonal antibody

Catalog Number: 23569-1-AP



## Basic Information

<b>Catalog Number:</b> 23569-1-AP	<b>GenBank Accession Number:</b> BC150272	<b>Purification Method:</b> Antigen Affinity purified
<b>Size:</b> 150ul , Concentration: 900 ug/ml by Nanodrop;	<b>GeneID (NCBI):</b> 5178	<b>Recommended Dilutions:</b> WB 1:500-1:2000 IHC 1:250-1:1000
<b>Source:</b> Rabbit	<b>UNIPROT ID:</b> Q9GZU2	
<b>Isotype:</b> IgG	<b>Full Name:</b> paternally expressed 3	
<b>Immunogen Catalog Number:</b> AG20132	<b>Calculated MW:</b> 1588 aa, 181 kDa	
	<b>Observed MW:</b> 200-220 kDa	

## Applications

<b>Tested Applications:</b> WB, IHC, ELISA	<b>Positive Controls:</b>
<b>Species Specificity:</b> human, mouse	<b>WB :</b> HepG2 cells, TT cells
<b>Note-IHC:</b> suggested antigen retrieval with <b>TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0</b>	<b>IHC :</b> human placenta tissue, mouse brain tissue

## Background Information

Paternally expressed 3 (PEG3) was responsible for Kras/Erk- and mTOR-driven HCC (hepatocellular carcinoma) (PMID: 36451866). PEG3 can regulate the physiological processes related to energy homeostasis found in multiple tissues, such as the brain, testis, ovary, and placenta (PMID: 32729618). Epigenetic silencing and loss of imprinting of PEG3 are implicated in glioma tumorigenesis (PMID: 32231463).

## Storage


**Storage:**  
Store at -20°C. Stable for one year after shipment.  
**Storage Buffer:**  
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.  
Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)  
E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 23569-1-AP (PEG3 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human placenta tissue slide using 23569-1-AP (PEG3 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 23569-1-AP (PEG3 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human placenta tissue slide using 23569-1-AP (PEG3 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).