

For Research Use Only

ZC3H8 Monoclonal antibody

Catalog Number: 68282-1-Ig



Basic Information

| | | |
|--|---|---|
| Catalog Number: 68282-1-Ig | GenBank Accession Number: BC032001 | Purification Method: Protein G purification |
| Size: 150ul , Concentration: 1000 µg/ml by Nanodrop; | GeneID (NCBI): 84524 | CloneNo.: 1G8C6 |
| Source: Mouse | Full Name: zinc finger CCCH-type containing 8 | Recommended Dilutions: WB 1:2000-1:10000 |
| Isotype: IgG1 | Observed MW: 36 kDa | |
| Immunogen Catalog Number: AG23496 | | |

Applications

| | |
|--|---|
| Tested Applications: WB, ELISA | Positive Controls: WB : HEK-293 cells, LNCaP cells, HeLa cells, Jurkat cells, K-562 cells |
| Species Specificity: Human | |

Background Information

ZC3H8, also named as Fliz1, is a novel zinc finger protein preferentially expressed in fetal liver hematopoietic progenitors and in several adult organs, including the thymus. It acts as a transcriptional repressor of the GATA3 promoter. Sequence-specific DNA-binding factor that binds to the 5'-AGGTCTC-3' sequence within the negative cis-acting element intronic regulatory region (IRR) of the GATA3 gene. Overexpression of Fliz1 repressed the expression of GATA-3 in vivo and in vitro. GATA-3 might be partly regulated by the intronic regulatory region and Fliz1 in a developmental stage-specific fashion (PMID: 23932780).

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68282-1-Ig (ZC3H8 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control.