For Research Use Only

RAD17 Monoclonal antibody

Catalog Number: 68539-1-Ig



Purification Method:

WB 1:2000-1:10000

Basic Information

Catalog Number: GenBank Accession Number:

Protein G purification BC032304 GeneID (NCBI): CloneNo.: 1F12D8

150ul, Concentration: 500 µg/ml by 5884 Nanodrop; Recommended Dilutions:

Source: RAD17 homolog (S. pombe)

Mouse Calculated MW: Isotype: 681 aa, 71 kDa lgG1 Observed MW: Immunogen Catalog Number: 70-80 kDa

AG4348

68539-1-lg

Applications Tested Applications:

WB, ELISA WB: LNCaP cells, HeLa cells, HEK-293 cells, Jurkat

Positive Controls:

Species Specificity: cells, Raji cells, Daudi cells

Background Information

Rad17, a component of the checkpoint clamp loader complex (RAD17/RFC), was originally initially identified as a DNA damage checkpoint protein. Rad17 participates in cell cycle control and DNA damage repair. Rad17 phosphorylation by ATR (ataxia telangiectasia mutated and Rad3-related) kinase is indispensable for the recruitment of Claspin and the activation of Chk1 in response to genotoxic stress.

Storage

Storage: Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68539-1-1g (RAD17 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.