For Research Use Only

GSK3B Recombinant antibody

Catalog Number:82061-1-RR



Basic Information

Catalog Number: GenBank Accession Number:

82061-1-RR BC000251 GeneID (NCBI): CloneNo.:

100ul, Concentration: 500 µg/ml by 2932 4N21 Nanodrop;

WB 1:5000-1:50000 Source: glycogen synthase kinase 3 beta

Rabbit Calculated MW:

Isotype: 433 aa, 48 kDa

IgG Observed MW: Immunogen Catalog Number: ~45 kDa

AG17320

Applications Tested Applications:

IHC, IP, WB, ELISA Species Specificity: Human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Purification Method:

Protein A purification

Recommended Dilutions:

WB: HEK-293 cells, HeLa cells, HepG2 cells, A549 cells,

IP 0.5-4.0 ug for IP and 1:2000-1:10000

for WB

Jurkat cells, PC-12 cells, NIH/3T3 cells

Positive Controls:

IP: HeLa cells,

IHC: mouse skin tissue,

IHC 1:225-1:900

Background Information

Glycogen synthase kinase-3 (GSK3) is a proline-directed serine-threonine kinase that was initially identified as a $phosphory lating\ and\ in activating\ glycogen\ synthase. GSK3B\ is\ involved\ in\ energy\ metabolism,\ neuronal\ cell$ development, and body pattern formation. In skeletal muscle, it contributes to INS regulation of glycogen synthesis by phosphorylating and inhibiting GYS1 activity and hence glycogen synthesis.

Storage


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 82061-1-RR (GSK3B antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



IP result of anti-GSK3B(IP:82061-1-RR, 4ug; Detection:82061-1-RR 1:5000) with HeLa cells lysate 1720 ug.



Immunohistochemical analysis of paraffinembedded mouse skin tissue slide using 82061-1-RR (GSK3B antibody) at dilution of 1:450 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).