For Research Use Only

MAZ Recombinant antibody

Catalog Number:82852-3-RR 1 Publications



Purification Method:

Basic Information

Catalog Number: GenBank Accession Number:

82852-3-RR BC041629 Protein A purification

Size:GeneID (NCBI):CloneNo.:100ul , Concentration: 1000 ug/ml by 41501D5

Nanodrop;UNIPROT ID:Recommended Dilutions:Source:P56270IHC 1:50-1:500RabbitFull Name:IF/ICC 1:500-1:2000

 Isotype:
 MYC-associated zinc finger protein

 IgG
 (purine-binding transcription factor)

Immunogen Catalog Number:Calculated MW:AG15200477 aa, 49 kDa

Observed MW: 49-51 kDa

Applications

Tested Applications: IHC, IF/ICC, ELISA

Cited Applications:

IHC

Species Specificity:

human
Cited Species:
human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Myc-associated zinc-finger protein (MAZ) is a transcription factor with dual roles in transcription initiation and termination. MAZ can activate the expression of a variety of genes such as the c-Myc, insulin, VEGF, and RAS gene family and the serotonin 1A receptor. MAZ plays a critical role in the progression of various cancers including breast, prostate, liver, and so on. Deregulation of MAZ expression is associated with the progression of pancreatic ductal adenocarcinoma (PDAC)(PMID: 29414775).

Positive Controls:

IHC: human prostate cancer tissue,

IF/ICC: U2OS cells, HeLa cells

Notable Publications

Author	Pubmed ID	Journal	Application
Yu Feng	39532991	Commun Biol	IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3 $\,$


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data








Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 82852-3-RR (MAZ antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed U2OS cells using MAZ antibody (82852-3-RR, Clone: 1D5) at dilution of 1:950 and Multi-rAb CoraLite ® Plus 594-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR004).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using MAZ antibody (82852-3-RR, Clone: 1D5) at dilution of 1:1000 and CoraLite@488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Biolayer interferometry (BLL) kinetic assays of 82852-3-RR against Human MAZ were performed. The affinity constant is below 1 pM.