For Research Use Only

Atlantic Blue™ Anti-Human CD73 (AD2)



Purification Method:

Protein G purification

Excitation/Emission maxima

CloneNo.:

wavelengths:

404 nm / 458 nm

AD2

Catalog Number: AB-65162

Basic Information

Catalog Number: AB-65162

BC015940

GeneID (NCBI): 100tests , 5 µl/test 4907

Full Name:

5'-nucleotidase, ecto (CD73) Mouse Calculated MW: Isotype:

29 kDa, 63 kDa IgG1, kappa

Applications

Tested Applications:

Species Specificity:

Human

Background Information

CD73, also known as ecto-5'-nucleotidase (5'-NT), is a 70-kDa, glycosyl-phosphatidylinositol-linked membranebound glycoprotein found in most tissues (PMID: 18404475; 20179192). CD73 is an ectoenzyme that catalyzes the dephosphorylation of AMP and other nucleoside monophosphates (PMID: 9553767). In the human immune system, CD73 is expressed on subsets of T and B cells, on germinal center follicular dendritic cells, and on thymic medullary reticular fibroblasts and epithelial cells (PMID: 2137649; 9553767). CD73 is highly expressed in many human solid tumors and is closely involved in cancer progression (PMID: 20179192).

GenBank Accession Number:

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with FITC Anti-Human CD3 and 5 ul Atlantic Blue™ Anti-Human CD73 (AB-65162, Clone:AD2) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Atlantic Blue™ Anti-Human CD73 (AB-65162, Clone:AD2) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.