### FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

# **HBXIP** Fusion Protein

Catalog Number: Ag6000

Available lyophilized

**Expression Source:** 

Biological Activity: Not tested Endotoxin Level:

Validated Application: Blocking peptide

and Storage for more details).

recovery of the protein into solution.

**Reconstitution:** 

the volume used).

storage.

e coli.-derived, PET28a, with N-terminal 6\*His.

Please contact the lab for more information

Form:

Species:

human



#### Peptide Sequence:

MEPGAGHLDGHRAGSPSLRQALCDGSAVMFSSKERG RCTVINFVPLEAPLRSTPRSRQVTEACGGEGRAVPLG SEPEWSVGGMEATLEQHLEDTMKNPSIVGVLCTDSQ GLNLGCRGTLSDEHAGVISVLAQQAAKLTSDPTDIPV VCLESDNGNIMIQKHDGITVAVHKMAS (1-173 aa encoded by BC062619)

## Reconstitution and Storage

**Basic Information** 

#### **Stability and Storage**

Store for up to 12 months at -20°C to -80°C as lyophilized powder.

Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full

Reconstitute at 0.25  $\mu$ g/ $\mu$ l in 200  $\mu$ l sterile water for short-term


After reconstitution with sterile water, if glycerol has no effect

If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to

on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability

## Storage of Reconstituted Protein

### Selected Validation Data



74 Ba

43 kDa-

28 kDa-

20 kDa

-24 kDa

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522)E : proteintech@ptglab.com W:(toll free in USA), or 1(312) 455-8498ptglab.com(outside USA)(outside USA)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

#### Shipping:

The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).