FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

DIAPH3 Fusion Protein



Basic Information	Catalog Number:	Peptide Sequence:			
	Ag6631	DQEQLNSLSQFKSEYSNLCEPEQFVVVMSNVKRLRP			
	Norman LLELVLLMGNYMNAGSRNAQTFGFNI Available lyophilized ADQKTTLLHFLVEICEEKYPDILNFVD Species: VETLEKNLRQMGRQLQQLEKELETFP human KMSRFVISAKEQYETLSKLHENMEKLV Expression Source: KVSVEDFLTDLNNFRTTFMQAIKENI <i>e coli</i> derived, PET28a, with N-terminal 6*His. RIAKELAERERLERQQKKKRLLEMKTE Biological Activity: EALQSGAAFRDRRKRTPMPKDVRQS Not tested VCNHGNKPYL				
		LLELVLLMGNYMNAGSRNAQTFGFNLSSLCKLKDTKS ADQKTTLLHFLVEICEEKYPDILNFVDDLEPLDKASKV. VETLEKNLRQMGRQLQQLEKELETFPPPEDLHDKFVT KMSRFVISAKEQYETLSKLHENMEKLYQSIIGYYAIDV KVSVEDFLTDLNNFRTTFMQAIKENIKKREAEEKEKRV RIAKELAERERLERQQKKKRLLEMKTEGDETGVMDNLI EALQSGAAFRDRRKRTPMPKDVRQSLSPMSQRPVLK VCNHGNKPYL (500-850 aa encoded by BC048963)			
			Validated Application:		
			Blocking peptide		
			Reconstitution and Storage	Reconstitution: Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the
				on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details).	recommended temperature (see below).
				If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used).	
				Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.	
			Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
	Storage of	Short Term Storage:			
	Reconstituted Protein	Store at 2-8°C for (1-2 weeks). Long Term Storage:			
Aliquot and store at -20°C to -80°C for up to 3 months,					
reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.					
Selected Validation Data	$\begin{array}{c} 74 \text{ kDa} \rightarrow \\ 66 \text{ kDa} \rightarrow \end{array}$				
	43 kDa→ ← 42 kDa				
	je 🔤				
	28 kDa→				

20 kDa-

14 kDa

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522)E : proteintech@ptglab.com W:(toll free in USA), or 1(312) 455-8498ptglab.com(outside USA)(outside USA)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.