FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS. RENALASE Fusion Protein



| Basic Information | Catalog Number: | Peptide Sequence: | | | |
|--------------------------|---|---|-------------------------------|--|--|
| | Form: DDSGGRMTTACSPHNPQCTADLG/ | | | | |
| | | DDSGGRMTTACSPHNPQCTADLGAQYITCTPHYAKI HQRFYDELLAYGVLRPLSSPIEGMVMKEGDCNFVAPC | | | |
| | Available lyophilized | GISSIIKHYLKESGAEVYFRHRVTQINLRDDKWEVSKQ TGSPEQFDLIVLTMPVPEILQLQGDITTLISECQRQQL EAVSYSSRYALGLFYEAGTKIDVPWAGQYITSNPCIRF VSIDNKKRNIESSEIGPSLVIHTTVPFGVTYLEHSIEDV QELVFQQLENILPGLPQPIATKCQKWRHSQVTNAAA NCPGQMTLHHKPFLACGGDGFTQSNFDGCITSALCV LEALKNYI (1-342 aa encoded by BC005364) | | | |
| | Species: human Expression Source: <i>e coli.</i> -derived, PET28a, with N-terminal 6*His. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Validated Application: Blocking peptide | | | | |
| | | | Reconstitution and Storage | Reconstitution: Reconstitute at 0.25 µg/µl in 200 µl sterile water for short-term | Shipping: The product is shipped at ambient temperature. |
| | | | | storage. After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the | Upon receipt, store it immediately at the recommended temperature (see below). |
| | | | | ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution. | |
| | | | Stability and Storage | Store for up to 12 months at -20°C to -80°C as lyophilized powder. | |
| | | | Storage of | Short Term Storage: | |
| Reconstituted Protein | Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles. | | | | |
| Selected Validation Data | _ | | | | |
| | $76 \text{ KDa} \rightarrow 440\text{ Pc}$ | | | | |
| | 43 kDa \rightarrow -44 kDa 28 kDa \rightarrow | | | | |

20 kDa-

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522)E : proteintech@ptglab.com W:(toll free in USA), or 1(312) 455-8498ptglab.com(outside USA)(total free in USA)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.