For Research Use Only

## CoraLite® Plus 488-conjugated DEK Monoclonal antibody



Catalog Number: CL488-66194

Featured Product

**Basic Information** 

Catalog Number: GenBank Accession Number: CL488-66194

BC035259

GeneID (NCBI):

100ul, Concentration: 1000 µg/ml by 7913

Full Name: Source: **DEK** oncogene Mouse Calculated MW:

Isotype: 43 kDa

IgG2a

Immunogen Catalog Number:

**Applications Tested Applications:** 

FC (Intra)

Species Specificity:

human

**Purification Method:** Protein A purification

CloneNo.: 5E3A6

Excitation/Emission maxima

wavelengths: 488 nm / 515 nm

**Background Information** 

Dek oncogene(DEK) is first recognized in a fusion with CAN nucleoporin protein, and it's a also autoantigen in patients with pquciarticular onset juvenile rheumatoid arthritis. As a site-specific binding protein, DEK may involve in transcriptional regulation and signal transdcution. Analysis by agarose gel celctrophoresis, DEK showed to reduce the efficiency with which chromation is replicated. It's one of the first components of the splicing complex, which remains associate with spliced exons dependent on prior splicing of pre-mRNA.

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

## Selected Validation Data



1X10^6 HeLa cells were intracellularly stained with 0.2 ug CoraLite® Plus 488 Anti-Human DEK (CL488-66194, Clone:5E3A6) (red), or 0.2 ug Mouse IgG2a Isotype Control (CL488-66360-2, Clone: K11A1B2A2) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).