For Research Use Only

CoraLite® Plus 488-conjugated **OXCT1** Recombinant antibody



493 nm / 522 nm

Catalog Number: CL488-81011

Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** CI 488-81011 Protein A purification BC009001

GeneID (NCBI): CloneNo.: 100ul, Concentration: 1000 µg/ml by 5019 4K12

Recommended Dilutions: Source: IF 1:50-1:500

3-oxoacid CoA transferase 1 Rabbit

Calculated MW: Excitation/Emission maxima Isotype: wavelengths: 520 aa, 56 kDa

IgG Observed MW:

Immunogen Catalog Number: 56 kDa

AG2818

Applications Tested Applications: Positive Controls: IF: HeLa cells,

> Species Specificity: Human, mouse, rat

Background Information

3-oxoacid-CoA transferase 1 (OXCT1), encoded by nuclear gene, is a mitochondrial CoA transferase required for ketone body degradation. It catalyzes the transfer of CoA from succinyl-CoA to acetoacetate, generating acetoacetyl-CoA. OXCT1 is expressed in brain, heart, and skeletal muscle, but not in liver. This antibody specifically recognizes endogenous OXCT1. (21209089)

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using Coralite® Plus 488 OXCT1 antibody (CL488-81011, Clone: 4K12) at dilution of 1:200.



1X10^6 MCF-7 cells were intracellularly stained with 0.8 ug Coralite® Plus 488 Anti-Human OXCT1 (CL488-81011, Clone:4K12) (red), or 0.8 ug Isotype Control. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).