For Research Use Only

## CoraLite® Plus 647-conjugated IMP3 Monoclonal antibody

CL647-66247

www.ptglab.com

Catalog Number: CL647-66247

Catalog Number: **Basic Information** 

GenBank Accession Number:

**Purification Method:** Protein A purification BC020557

GeneID (NCBI): CloneNo.: 100ul, Concentration: 1000 µg/ml by 55272 1E7D6

Recommended Dilutions: IF 1:50-1:500 Source: IMP3, U3 small nucleolar

ribonucleoprotein, homolog (yeast) Mouse

Isotype: Calculated MW: 184 aa, 22 kDa lgG2b Immunogen Catalog Number: Observed MW: AG23602 22 kDa

**Applications** 

**Tested Applications:** 

FC (Intra), IF Species Specificity:

human, mouse

**Positive Controls:** 

IF: HepG2 cells,

## **Background Information**

IMP3 is a member of the insulin-like growth factor (IGF-II) mRNA binding protein (IMP) family that consist of IMP1, IMP2, and IMP3. IMP3 is an oncofetal protein associated with aggressive and advanced tumors and is specifically expressed in malignant tumors but not found in benign tissues [PMID:22497850]. IMP3 forms a ternary complex with IMP4 and MPP10 (MPHOSPH10) that interacts with U3 small nucleolar RNA (snoRNA), which is required for the early cleavage steps in pre-rRNA processing[PMID: 12655004].

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

## Selected Validation Data



1X10^6 HepG2 cells were intracellularly stained with 0.2 ug CoraLite® Plus 647 Anti-Human IMP3 (CL647-66247, Clone:1E7D6) (red), or 0.2 ug isotype control (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Coralite® Plus 647 IMP3 antibody (CL647-66247, Clone: 1E7D6) at dilution of 1:200.