## For Research Use Only

## TMEM65 Polyclonal antibody

Catalog Number:21913-1-AP

Featured Product



**Basic Information** 

Catalog Number: 21913-1-AP

GenBank Accession Number:

Antigen affinity purification

Size:

GeneID (NCBI):

Recommended Dilutions:

IF/ICC 1:200-1:800

**Purification Method:** 

150ul , Concentration: 750  $\mu$ g/ml by 157378

**UNIPROT ID:** 

BC032396

WB 1:5000-1:50000 IHC 1:500-1:2000

Nanodrop; Source:

Q6PI78

Full Name:

Rabbit Isotype:

transmembrane protein 65

IgG

Calculated MW:

Immunogen Catalog Number:

240 aa, 26 kDa

AG15509

Observed MW:

20-25 kDa

**Applications** 

**Tested Applications:** 

WB, IF, IHC, ELISA

Species Specificity:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, mouse brain tissue, HeLa cells, rat

brain tissue. Neuro-2a cells

IHC: human colon cancer tissue, IF/ICC: NIH/3T3 cells, Huh-7 cells

Storage

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 21913-1-AP (TMEM65 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.




Various lysates were subjected to SDS PAGE followed by western blot with 21913-1-AP (TMEM65 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 21913-1-AP (TMEM65 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 21913-1-AP (TMEM65 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed NIH/3T3 cells using TMEM65 antibody (21913-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).



WB result of TMEM65 antibody (21913-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-TMEM65 transfected HeLa cells.