For Research Use Only

Galectin-4 Polyclonal antibody

Catalog Number: 27552-1-AP 2 Publications



Basic Information

Catalog Number: GenBank Accession Number: 27552-1-AP

BC034750 Antigen affinity purification GeneID (NCBI): Recommended Dilutions: 150ul, Concentration: 500 ug/ml by WB 1:1000-1:6000

Nanodrop and 300 ug/ml by Bradford $\,$ UNIPROT ID: method using BSA as the standard; P56470

Source: Full Name:

Rabbit lectin, galactoside-binding, soluble, 4

Isotype: Calculated MW: 323 aa, 36 kDa Immunogen Catalog Number: Observed MW: AG26130 34-36 kDa

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA

Cited Applications:

WB

Size:

Species Specificity: Human, Mouse, Rat **Cited Species:**

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: rat colon tissue, mouse small intestine tissue,

Purification Method:

IHC 1:50-1:500

IF/ICC 1:200-1:800

mouse colon tissue

IHC: human colon cancer tissue, human stomach

cancer tissue IF/ICC: HT-29 cells,

Background Information

Galectins are a family of animal lectins defined by shared characteristic amino-acid sequences and affinity for β galactose-containing oligosac-charides (PMID: 8063692). Galectin-4 contains two arbohydrate recognition domains (CRDs) and is expressed in the epithelium of oral mucosa, esophagus, and intestinal and colonic mucosa (PMID: 15546874; 15115909). Aberrant expression of galectin-4 has been reported in several cancers.

Notable Publications

Author	Pubmed ID	Journal	Application
Yanlu Wang	35300421	Front Cell Dev Biol	WB
Yusuke Mizutani	33016205	Cell Adh Migr	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 27552-1-AP (Galectin-4 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 27552-1-AP (LGALS4,GAL4 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 27552-1-AP (LGALS4,GAL4 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HT-29 cells using Galectin-4 antibody (27552-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).