For Research Use Only

Anti-Mouse IL-12/IL-23 p40 (C17.8)

Catalog Number: 65097-1-Ig



Basic Information

Catalog Number:

65097-1-lg

Size: 100ug , 500 μg/ml

Source: Rat Isotype:

IgG2a, kappa

GenBank Accession Number:

BC103608 GeneID (NCBI):

16160 UNIPROT ID:

P43432 Full Name: interleukin 12b Purification Method: Affinity purification

CloneNo.: C17.8

Applications

Tested Applications:

FC (Intra)

Species Specificity:

Mouse

Background Information

Interleukin (IL)-12 and IL-23 are heterodimeric cytokines that share a common p40 subunit (PMID: 11114383). IL-12 is composed of the IL-12 p40 subunit linked to the IL-12 p35 subunit, and the heterodimer signals through the IL-12 receptor (IL-12R), which comprises the IL-12R β 1 and IL-12R β 2 subunits. IL-23 is composed of the IL-23 p19 subunit and the IL-12 p40 (IL-12/23p40) subunit, which signals through IL-23R and IL-12R β 1 (PMID: 11114383; 26121196). IL-12/IL-23 p40 also exists as a monomer and as a homodimer which can act as a potent IL-12 antagonist (PMID: 8958912; 18783467). IL-12/IL-23 p40 is produced by antigen-presenting cells, such as dendritic cells (DCs), monocytes, macrophages, neutrophils and, to a lesser extent, B cells (PMID: 20476918).

Storage


Storage

Store at 2-8°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide.

Selected Validation Data



1X10^6 untreated or IFNy, LPS, BFA and Monensin treated RAW 264.7 cells were intracellularly stained with 0.5 ug Anti-Mouse IL-12/IL-23 p40 (65097-1-Ig, Clone: C17.8) and FITC anti-rat IgG2a Antibody at dilution 1:100. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).