

Nur für Forschungszwecke

# CD279 (PD-1) Monoklonaler Antikörper

Katalog-Nr.: CL647-65142



## Allgemeine Informationen

Katalog-Nr.:	CL647-65142	GenBank-Zugangsnummer:	BC119179	Reinigungsmethode:
Größe:	1000µg, 500 µg/ml	GenID (NCBI):	18566	Affinitätsreinigung
Wirt:	Ratte	Vollständiger Name:	programmed cell death 1	CloneNo.:
Isotyp:	IgG2b, kappa			RMP1-30

## Anwendungen

Geprüfte Anwendungen:

FC

Getestete Reaktivität:

Maus

## Hintergrundinformationen

Programmed cell death 1 (PD-1, also known as CD279) is an immunoinhibitory receptor that belongs to the CD28/CTLA-4 subfamily of the Ig superfamily. It is a 288 amino acid (aa) type I transmembrane protein composed of one Ig superfamily domain, a stalk, a transmembrane domain, and an intracellular domain containing an immunoreceptor tyrosine-based inhibitory motif (ITIM) as well as an immunoreceptor tyrosine-based switch motif (ITSM) (PMID: 18173375). PD-1 is expressed during thymic development and is induced in a variety of hematopoietic cells in the periphery by antigen receptor signaling and cytokines (PMID: 20636820). Engagement of PD-1 by its ligands PD-L1 or PD-L2 transduces a signal that inhibits T-cell proliferation, cytokine production, and cytolytic function (PMID: 19426218). It is critical for the regulation of T cell function during immunity and tolerance. Blockade of PD-1 can overcome immune resistance and also has been shown to have antitumor activity (PMID: 22658127; 23169436).

## Lagerung

Lagerungsbedingungen:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Lagerungspuffer:


PBS mit 0,1% Natrumazid und 0,5% BSA, pH 7,3.

For technical support and original validation data for this product please contact:  
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free  
in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Ausgewählte Validierungsdaten



1X10<sup>6</sup> Con-A stimulated BALB/c mouse  
splenocytes were surface stained with 0.5 ug  
CoraLite® Plus 647 Anti-Mouse CD279 (PD-1)  
(CL647-65142, Clone: RMP1-30) or isotype control  
antibody. Cells were not fixed.