

À des fins de recherche uniquement

Anticorps Polyclonal de lapin anti-Fibromodulin

Numéro de catalogue: **13281-1-AP**



Informations de base

Numéro de catalogue:	BC035281	Méthode de purification:
13281-1-AP	Identification du gène (NCBI):	Purification par affinité contre l'antigène
Taille:	2331	Dilutions recommandées:
150ul , Concentration: 240 µg/ml by Nanodrop and 133 µg/ml by Bradford method using BSA as the standard;	Nom complet: fibromodulin	WB 1:500-1:1000 IF 1:50-1:500
Hôte:	MW calculé	
Lapin	376 aa, 43 kDa	
Isotype:	MW observés:	
IgG	43 kDa	
Immunogen Catalog Number:		
AG4030		

Applications

Applications testées:	Contrôles positifs:
IF, WB,ELISA	WB : tissu hépatique humain,
Spécificité de l'espèce:	IF : cellules HeLa,
Humain, rat, souris	

Informations générales

Fibromodulin (FMOD), an extracellular matrix protein, belongs to the small leucine-rich proteoglycan family. Fibromodulin is a collagen-binding protein present in many types of connective tissues, e.g. cartilage, tendon, skin, sclera and cornea (PMID: 2531085). It is involved in fibrillogenesis, cell adhesion, and cytokine activity modulation (PMID: 15741214). Fibromodulin may participate in the assembly of the extracellular matrix as it interacts with type I and type II collagen fibrils and inhibits fibrillogenesis in vitro. It may also regulate TGF-beta activities by sequestering TGF-beta into the extracellular matrix. The calculated molecular mass of fibromodulin is 43 kDa, extracellular fibromodulin appears as one single band of 59 kDa due to glycosylation (PMID: 2531085; 22138190).

Stockage

Stockage:
Stocker à -20°C. Stable pendant un an après l'expédition.
Tampon de stockage:
PBS avec azoture de sodium à 0,02 % et glycérol à 50 % pH 7,3
L'aliquotage n'est pas nécessaire pour le stockage à -20C


*** Les 20ul contiennent 0,1% de BSA.

For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



human liver tissue were subjected to SDS PAGE followed by western blot with 13281-1-AP (Fibromodulin antibody) at dilution of 1:400 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using 13281-1-AP (Fibromodulin antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).