## À des fins de recherche uniquement

## Anticorps Monoclonal anti-CD25

Numéro de catalogue: CL405-65137



Informations de base

Numéro de catalogue:

CL405-65137

Taille:

100ug , 0.5 mg/ml

Hôte:

Isotype: IgG1, lambda Numéro d'acquisition GenBank:

BC114437

Identification du gène (NCBI):

16184

Nom complet:

interleukin 2 receptor, alpha chain

Méthode de purification: Purification par affinité

CloneNo.: PC61.5

Excitation/Emission maxima

wavelengths: 399 nm / 422 nm

**Applications** 

Applications testées:

FC

Spécificité de l'espèce:

souris

Informations générales

 $Proliferation of \ T\ lymphocytes\ is\ triggered\ by\ the\ interaction\ of\ IL-2\ with\ its\ specific\ receptor\ following\ T$ lymphocyte activation. The receptor for IL-2 has three forms, generated by different combinations of three different proteins, the alpha chain (IL-2R alpha), the beta chain (IL-2R beta), and the gamma chain (IL-2R gamma) (PMID: 8476561). IL-2R alpha (also known as CD25) is a type I transmembrane protein present on activated T cells, activated B cells, some thymocytes, myeloid precursors, and oligodendrocytes. CD25 is also found on natural CD4+Foxp3+ Treg cells (PMID: 22585674).


Stockage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Tampon de stockage:

PBS with 0.09% sodium azide.

## Données de validation sélectionnées



1X10^6 plate-bound Anti-CD3 and Anti-CD28 stimulated mouse splenocytes were surface stained with 0.5 ug CoraLite® Plus 405 Anti-Mouse CD25 (CL405-65137, Clone: PC61.5) (red), or 0.5 ug Control Antibody. Cells were not fixed.