À des fins de recherche uniquement

Anticorps Monoclonal anti-CD11c

Numéro de catalogue:CL555-65196



Informations de base

Numéro de catalogue:

CL555-65196

Taille:

100 tests , 5 μ l/test

Hôte:

Mouse Isotype:

IgG1, kappa

MW calculé 1169 aa, 129 kDa

BC038237

Nom complet:

3687

Méthode de purification:

Purification par protéine G CloneNo.:

BU15

Excitation/Emission maxima

wavelengths: 554 nm / 570 nm

Applications

Applications testées:

Spécificité de l'espèce:

Humain

Informations générales

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated α and β subunits cells, including monocytes/macrophages, granulocytes, a subset of B cells, NK cells and dendritic cells (PMID: 2897326; 1680915; 1694698; 17389580). As a result of its high level of expression on most dendritic cells, CD11c is typically considered to be a marker of conventional dendritic cells (PMID: 27119555). CD11c forms an α/β heterodimer with CD18 (integrin β2). CD11c/CD18 acts a receptor for fibrinogen and is important in monocyte adhesion and chemotaxis (PMID: 1671533).

Numéro d'acquisition GenBank:

Identification du gène (NCBI):

integrin, alpha X (complement

component 3 receptor 4 subunit)


Stockage

Stockage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA.

Données de validation sélectionnées



1X10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 555 Anti-Human CD11c (CL555-65196, Clone:BU15) (red) or unstained. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Coralite® Plus 555 Anti-Human CD11c (CL555-65196, Clone:BU15) or unstained. Cells were not fixed. Monocytes were gated.