

À des fins de recherche uniquement

# Anticorps Polyclonal de lapin anti-IL-22RA2



Numéro de catalogue:[CL647-22861](#)

## Informations de base

Numéro de catalogue:	Numéro d'acquisition GenBank:	Méthode de purification:
CL647-22861	BC125167	Purification par affinité contre l'antigène
<b>Taille:</b>	<b>Identification du gène (NCBI):</b>	<b>Excitation/Emission maxima wavelengths:</b>
100ul , Concentration: 1000 µg/ml by Nanodrop;	116379	654 nm / 674 nm
<b>Hôte:</b>	<b>Nom complet:</b>	
Lapin	interleukin 22 receptor, alpha 2	
<b>Isotype:</b>	<b>MW calculé</b>	
IgG	263 aa, 31 kDa	
<b>Immunogen Catalog Number:</b>	<b>MW observés:</b>	
AG18854	27 kDa	

## Applications

Applications testées:

FC (Intra)

Spécificité de l'espèce:

Humain

## Informations générales

Interleukin-22 receptor subunit alpha-2 (IL22RA2, also known as CRF2-10) is a soluble member of the type II cytokine receptor family. Through binding to IL22, IL22RA2 prevents the interaction of IL22 with the functional IL22-R complex and blocks the activity of IL22 (in vitro). IL22RA2 may play an important role as an IL22 antagonist in the regulation of inflammatory responses. It has been described that human IL22RA2 gene encodes three alternatively spliced isoforms called CRF2-10L, CRF2-10, and CRF2-10S, with molecular weights of 31 kDa, 27 kDa, and 15 kDa, respectively.

## Stockage

**Stockage:**

Stocker à -20 °C. Éviter toute exposition à la lumière. Stable pendant un an après l'expédition.

**Tampon de stockage:**

PBS avec glycérol à 50 %, Proclin300 à 0,05 % et BSA à 0,5 %, pH 7,3.


L'aliquotage n'est pas nécessaire pour le stockage à -20°C

\*\*\* Les 20ul contiennent 0,1% de BSA.

For technical support and original validation data for this product please contact:  
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free  
in USA), or 1(312) 455-8498 (outside USA)      E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Données de validation sélectionnées



1X10<sup>6</sup> HeLa cells were intracellularly stained with 0.2 ug Coralite® Plus 647 Anti-Human IL-22RA2 (CL647-22861) (red), or 0.2 ug isotype control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).