À des fins de recherche uniquement

Anticorps Monoclonal anti-CD11c

Numéro de catalogue: CR-65086



Informations de base

Numéro de catalogue:

CR-65086

Taille:

100 tests , 5 μ l/test

Hôte: Mouse

Isotype:

IgG1, kappa

1169 aa, 129 kDa

Numéro d'acquisition GenBank:

BC038237

Identification du gène (NCBI):

3687

Nom complet:

integrin, alpha X (complement component 3 receptor 4 subunit)

MW calculé

Méthode de purification: Purification par affinité

CloneNo.:

Excitation/Emission maxima

wavelengths: 592 nm / 611 nm

Applications

Applications testées:

Spécificité de l'espèce:

Humain

Informations générales

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated α and β subunits cells, including monocytes/macrophages, granulocytes, a subset of B cells, NK cells and dendritic cells (PMID: 2897326; 1680915; 1694698; 17389580). As a result of its high level of expression on most dendritic cells, CD11c is typically considered to be a marker of conventional dendritic cells (PMID: 27119555). CD11c forms an α/β heterodimer with CD18 (integrin β2). CD11c/CD18 acts a receptor for fibrinogen and is important in monocyte adhesion and chemotaxis (PMID: 1671533).


Stockage

Stockage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA.

Données de validation sélectionnées



1X10^6 human PBMCs were surface stained with 5 ul Cardinal Red™ Anti-Human CD11c (CR-65086, Clone:3.9) (red) or unstained. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Cardinal Red™ Anti-Human CD11c (CR-65086, Clone:3.9) or unstained. Cells were not fixed. Monocytes were gated.