### For Research Use Only

# SOD1 Polyclonal antibody

Catalog Number: 10269-1-AP

**Featured Product** 

238 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number:

10269-1-AP BC001034 Size: GeneID (NCBI):

Nanodrop; UNIPROT ID:
Source: P00441
Rabbit Full Name:

150ul , Concentration: 1000  $\mu g/ml$  by 6647

Isotype: superoxide dismutase 1, soluble

IgG Calculated MW:

Immunogen Catalog Number: 16 kDa

AG0335 Observed MW:

16-20 kDa

Purification Method: Antigen affinity purification

Recommended Dilutions: WB 1:5000-1:50000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:300-1:1200 IF 1:200-1:800

**Applications** 

**Tested Applications:** 

WB, IP, IF, IHC, ELISA

Cited Applications:

WB, IP, IF, IHC, CoIP, ELISA

Species Specificity: human, mouse, rat Cited Species:

human, goat, chicken, rat, mouse, pig, canine, bovine

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HEK-293T cells, HeLa cells, HEK-293 cells, Jurkat cells, SH-SY5Y cells, human placenta tissue, mouse brain tissue, mouse liver tissue, rat liver tissue

IP: HEK-293 cells, HeLa cells

IHC: human liver cancer tissue, human heart tissue

IF: HEK-293 cells, HeLa cells

# **Background Information**

The enzymatic function of Cu/Zn Superoxide Dismutase (SOD1), previously known as hemocuprein and IPOA, was first characterized in 1969 (PMID: 5389100). SOD1 is commonly known for its ROS scavenging activity, but recent work has uncovered additional roles in modulating metabolism, maintaining redox balance, and regulating transcription. In disease contexts, SOD1 is best-known for its role in a familial form of amyotrophic lateral sclerosis (fALS) (PMID: 10630188). In addition, SOD1 is overexpressed in numerous cancer types, including lung adenocarcinoma, non-small-cell lung cancer, and 70% of primary breast cancers (PMID: 31344643).

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Kentaro Hayashi	27716404	Acta Neuropathol Commun	
Huidong Wang	36249770	Front Pharmacol	IF
Lalit Pukhrambam Singh	35187384	JOJ Ophthalmol	WB

Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 10269-1-AP (SOD1 antibody) at dilution of 1:15000 incubated at room temperature for 1.5 hours.




WB result of SOD1 antibody (10269-1-AP; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-SOD1 transfected HEK-293 cells.




IP result of anti-SOD1 (IP:10269-1-AP, 3ug; Detection:10269-1-AP 1:1500) with HEK-293 cells lysate 1000ug.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 10269-1-AP (SOD1 antibody) at dilution of 1:600 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 10269-1-AP (SOD1 antibody) at dilution of 1:600 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HEK-293 cells using SOD1 antibody (10269-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).