

SOD1 Polyclonal antibody

Catalog Number: 10269-1-AP

Featured Product

231 Publications

Basic Information

Catalog Number: 10269-1-AP	GenBank Accession Number: BC001034	Purification Method: Antigen affinity purification
Size: 150ul, Concentration: 1000 µg/ml by Nanodrop;	GeneID (NCBI): 6647	Recommended Dilutions: WB 1:5000-1:50000 IP 0.5-4.0 µg for 1.0-3.0 mg of total protein lysate IHC 1:300-1:1200 IF 1:200-1:800
Source: Rabbit	Full Name: superoxide dismutase 1, soluble	
Isotype: IgG	Calculated MW: 16 kDa	
Immunogen Catalog Number: AG0335	Observed MW: 16-20 kDa	

Applications

Tested Applications: IF, IHC, IP, WB, ELISA	Positive Controls:
Cited Applications: CoIP, ELISA, IF, IHC, IP, WB	WB: HEK-293T cells, HeLa cells, HEK-293 cells, Jurkat cells, SH-SY5Y cells, human placenta tissue, mouse brain tissue, mouse liver tissue, rat liver tissue
Species Specificity: human, mouse, rat	IP: HEK-293 cells, HeLa cells
Cited Species: human, goat, chicken, rat, mouse, pig, canine, bovine	IHC: human liver cancer tissue, human heart tissue
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	IF: HEK-293 cells, HeLa cells

Background Information

The enzymatic function of Cu/Zn Superoxide Dismutase (SOD1), previously known as hemocuprein and IPOA, was first characterized in 1969 (PMID: 5389100). SOD1 is commonly known for its ROS scavenging activity, but recent work has uncovered additional roles in modulating metabolism, maintaining redox balance, and regulating transcription. In disease contexts, SOD1 is best-known for its role in a familial form of amyotrophic lateral sclerosis (fALS) (PMID: 10630188). In addition, SOD1 is overexpressed in numerous cancer types, including lung adenocarcinoma, non-small-cell lung cancer, and 70% of primary breast cancers (PMID: 31344643).

Notable Publications

Author	Pubmed ID	Journal	Application
Kentaro Hayashi	27716404	Acta Neuropathol Commun	
Huidong Wang	36249770	Front Pharmacol	IF
Lalit Pukhrambam Singh	35187384	IOJ Ophthalmol	WB

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of SOD1 antibody (10269-1-AP; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-SOD1 transfected HEK-293 cells.




Various lysates were subjected to SDS PAGE followed by western blot with 10269-1-AP (SOD1 antibody) at dilution of 1:15000 incubated at room temperature for 1.5 hours.




IP Result of anti-SOD1 (IP:10269-1-AP, 3ug; Detection:10269-1-AP 1:1500) with HEK-293 cells lysate 1000ug.



Immunohistochemical analysis of paraffin-embedded human liver cancer tissue slide using 10269-1-AP (SOD1 antibody) at dilution of 1:600 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human liver cancer tissue slide using 10269-1-AP (SOD1 antibody) at dilution of 1:600 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HEK-293 cells using SOD1 antibody (10269-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).