For Research Use Only

Integrin Alpha-5 Polyclonal antibody

Catalog Number: 10569-1-AP

Featured Product

27 Publications



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method: Antigen affinity purification

10569-1-AP Size:

GeneID (NCBI):

BC008786

Recommended Dilutions:

150ul , Concentration: 500 $\mu g/ml$ by

WB 1:1000-1:6000

Nanodrop:

UNIPROT ID:

P08648 Full Name:

Isotype:

integrin, alpha 5 (fibronectin receptor,

Rabbit IgG

alpha polypeptide)

Immunogen Catalog Number:

Calculated MW:

AG0860

Observed MW:

135-150 kDa

115 kDa

Applications

Tested Applications:

WB, ELISA

Cited Applications:

WB,IHC,IF

Species Specificity:

human, mouse, monkey

Cited Species:

human, rat, mouse

Positive Controls:

WB: A549 cells, 3T3-L1 cells, COS-7 cells, HeLa cells,

human placenta tissue

Background Information

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated alpha and beta subunits. Integrin alpha~5~(ITGA5), belongs~to~the~integrin~alpha~chain~family, primarily~binds~to~Integrin~beta~1~chain~family~the family~the family~th(ITGB1) to form an $a5\beta1$ heterodimer (PMID: 33711961). Integrin $a5\beta1$ is a specific receptor of fibronectin through its arginine-glycine-aspartic acid (RGD) binding site (PMID: 19608542). Integrin $\alpha 5\beta 1$ plays roles in cell adhesion, migration and matrix formation, and has emerged as an essential mediator in many human carcinomas (PMID: 33408483).

Notable Publications

| Author | Pubmed ID | Journal | Application |
|---------------|-----------|----------------------|-------------|
| Jun-fu Wang | 36193075 | Oxid Med Cell Longev | WB,IHC,IF |
| Chengyun Pan | 34733839 | Front Cell Dev Biol | WB,IF |
| Jalal M Kazan | 34761192 | iScience | WB |

Storage


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 10569-1-AP (Integrin Alpha-5 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



WB result of Integrin alpha-5 antibody (10569-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-Integrin alpha-5 transfected HeLa cells.