### For Research Use Only

# FABP4 Polyclonal antibody

Catalog Number: 15872-1-AP

12 Publications



**Basic Information** 

**Applications** 

Catalog Number: GenBank Accession Number: 15872-1-AP BC003672

GenBank Accession Number: Purification Method:
BC003672 Antigen affinity purification
Genel D (NCBI): Recommended Dilutions:

WB 1:500-1:1000

150ul , Concentration: 500 µg/ml by
Nanodrop and 267 µg/ml by Bradford
method using BSA as the standard;
fatty acid h

Full Name: IHC 1:20-1:200 fatty acid binding protein 4, adipocyte | F 1:20-1:200

Source: Calculated MW.
Rabbit 132 aa, 15 kDa
Isotype: Observed MW:
IgG 15 kDa

Immunogen Catalog Number:

AG8631

Size:

Tested Applications: Positive Controls:

IF, IHC, WB, ELISA

WB: rat skeletal muscle tissue, mouse skeletal muscle
tissue

tissue

IF, IHC, WB

IHC : human cervix tissue, human skin tissue

Species Specificity: human, mouse, rat IF: mouse adipose, HUVEC cells

Cited Species: human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

## **Background Information**

Fatty acid binding protein (FABP) 4 is a member of the FABP family which abundantly expressed, fatty acid carrier proteins. FABPs are capable of binding a variety of hydrophobic molecules such as long-chain fatty acids and are important for their uptake and intracellular trafficking. It was first identified as an adipocyte-specific protein, important for the maintenance of lipid and glucose metabolism. It is also detected in macrophages, where it participates in regulating inflammation and cholesterol trafficking via NFkB and PPAR. In more recent studies, FABP4 has been found in a variety of endothelial cells, where it has been identified as a target of VEGF and a regulator of cell proliferation and possibly angiogenesis. Pathologically, FABP4 has been associated with the development of metabolic syndrome, diabetes and cancer and vulnerability of atherosclerotic plaques. FABP4 has been identified as a novel prognostic factor for both adverse cardiovascular events and breast cancer.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Marion Claudia Salzer	30415840	Cell	IF
Xin Peng	35646835	Front Bioeng Biotechnol	WB
J Zhou	25817070	Int J Obes (Lond)	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## **Selected Validation Data**




rat skeletal muscle tissue were subjected to SDS PAGE followed by western blot with 15872-1-AP (FABP4 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



IF result of anti-FABP4 (15872-1-AP, 1:500) with PFA fixed mouse adipose tissue by Dr. Daniel Kopinke.



Immunohistochemical analysis of paraffinembedded human cervix using 15872-1-AP (FABP4 antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human cervix using 15872-1-AP (FABP4 antibody) at dilution of 1:50 (under 40x lens).