For Research Use Only

## SH3PXD2A Polyclonal antibody

Catalog Number: 18976-1-AP

Featured Product

15 Publications




Basic Information	Catalog Number: 18976-1-AP	GenBank Accession Number: NM_014631	Purification Method: Antigen affinity purification	
	Size:	GeneID (NCBI):	Recommended Dilutions:	
	150ul , Concentration: 500 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG	UNIPROT ID:	WB 1:500-1:1000 IHC 1:20-1:200 IF/ICC 1:10-1:100	
				Q5TCZ1 Full Name:
		SH3 and PX domains 2A		
		Calculated MW: 125 kDa		
		Observed MW: 140-150 kDa		
		Applications	Tested Applications:	Positive Controls:
WB, IHC, IF/ICC, ELISA	WB: HELA CELLS, HEPOZ CELLS			
Cited Applications: IHC : human breast cancer tissue, WB, IHC, IF, CoIP			man breast cancer tissue,	
Species Specificity:	IF/ICC :		IF/ICC : HepG2 cells,	
human, mouse, rat				
Cited Species: human, mouse				
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
	SH3PXD2A is also named as FISH, KIAA0418, SH3MD1, TKS5. SH3PXD2A contains an amino-terminal PX domain followed by five SH3 domains. It is a cytoplasmic protein in normal fibroblasts (PMID: 19464300). The p140 and p130 forms of SH3PXD2A may be generated by other splice variations. The complexity of SH3PXD2A isoforms is als evident in different cell types. For example in human platelets a single band of 150 kDa was detected, whereas all three forms were found in human fibroblasts and vascular smooth muscle cells (PMID: 9687503). This antibody is specific to SH3PXD2A.			
Background Information	followed by five SH3 domains. It is a p130 forms of SH3PXD2A may be ger evident in different cell types. For ex three forms were found in human fib	cytoplasmic protein in normal fi nerated by other splice variation: ample in human platelets a sing	ibroblasts (PMID: 19464300). The p140 and s. The complexity of SH3PXD2A isoforms is al çle band of 150 kDa was detected, whereas all	
	followed by five SH3 domains. It is a p130 forms of SH3PXD2A may be ger evident in different cell types. For exthree forms were found in human fibe specific to SH3PXD2A.	cytoplasmic protein in normal fi lerated by other splice variation: ample in human platelets a sing roblasts and vascular smooth mu	ibroblasts (PMID: 19464300). The p140 and s. The complexity of SH3PXD2A isoforms is al gle band of 150 kDa was detected, whereas all iscle cells (PMID: 9687503). This antibody is	
	followed by five SH3 domains. It is a p130 forms of SH3PXD2A may be ger evident in different cell types. For ex three forms were found in human fibs specific to SH3PXD2A.	cytoplasmic protein in normal fi terated by other splice variations ample in human platelets a sing roblasts and vascular smooth mu med ID Journal	ibroblasts (PMID: 19464300). The p140 and s. The complexity of SH3PXD2A isoforms is al. gle band of 150 kDa was detected, whereas all iscle cells (PMID: 9687503). This antibody is Application	
	followed by five SH3 domains. It is a p130 forms of SH3PXD2A may be ger evident in different cell types. For ex three forms were found in human fibs specific to SH3PXD2A. Author Pub Shinji lizuka 278	cytoplasmic protein in normal fi lerated by other splice variation: ample in human platelets a sing roblasts and vascular smooth mu	ibroblasts (PMID: 19464300). The p140 and s. The complexity of SH3PXD2A isoforms is al gle band of 150 kDa was detected, whereas all iscle cells (PMID: 9687503). This antibody is	
	followed by five SH3 domains. It is a p130 forms of SH3PXD2A may be ger evident in different cell types. For ex- three forms were found in human fibe specific to SH3PXD2A. Author Pub Shinji Iizuka 278 Shu-Chen Liu 305	cytoplasmic protein in normal fi merated by other splice variations ample in human platelets a sing roblasts and vascular smooth mu med ID Journal 02184 Oncotarget	ibroblasts (PMID: 19464300). The p140 and s. The complexity of SH3PXD2A isoforms is al gle band of 150 kDa was detected, whereas al iscle cells (PMID: 9687503). This antibody is Application WB	
Notable Publications	followed by five SH3 domains. It is a p130 forms of SH3PXD2A may be ger evident in different cell types. For ex three forms were found in human fib specific to SH3PXD2A.AuthorPubShinji lizuka278Shu-Chen Liu305Koroku Kato364	cytoplasmic protein in normal fi merated by other splice variations ample in human platelets a sing roblasts and vascular smooth mu med ID Journal 102184 Oncotarget 104771 Nat Commun	ibroblasts (PMID: 19464300). The p140 and s. The complexity of SH3PXD2A isoforms is al gle band of 150 kDa was detected, whereas al isole cells (PMID: 9687503). This antibody is Application WB WB	
Background Information Notable Publications	followed by five SH3 domains. It is a p130 forms of SH3PXD2A may be ger evident in different cell types. For ex- three forms were found in human fibs specific to SH3PXD2A. Author Pub Shinji lizuka 278 Shu-Chen Liu 305 Koroku Kato 364 Storage: Storage: Storage Store at -20°C. Stable for one year aft Storage Buffer:	cytoplasmic protein in normal fi merated by other splice variation: ample in human platelets a sing roblasts and vascular smooth mu med ID Journal 202184 Oncotarget 204771 Nat Commun 271888 J Oncol	ibroblasts (PMID: 19464300). The p140 and s. The complexity of SH3PXD2A isoforms is al gle band of 150 kDa was detected, whereas all iscle cells (PMID: 9687503). This antibody is Application WB WB	
Notable Publications	followed by five SH3 domains. It is a p130 forms of SH3PXD2A may be ger evident in different cell types. For ex- three forms were found in human fib specific to SH3PXD2A. Author Pub Shinji lizuka 278 Shu-Chen Liu 305 Koroku Kato 364 Storage: Store at -20°C. Stable for one year after	cytoplasmic protein in normal fi merated by other splice variation: ample in human platelets a sing roblasts and vascular smooth mu med ID Journal 202184 Oncotarget 04771 Nat Commun .71888 J Oncol eer shipment.	ibroblasts (PMID: 19464300). The p140 and s. The complexity of SH3PXD2A isoforms is al gle band of 150 kDa was detected, whereas al isole cells (PMID: 9687503). This antibody is Application WB WB	


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free<br/>in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




HeLa cells were subjected to SDS PAGE followed by western blot with 18976-1-AP (SH3PXD2A antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human breast cancer using 18976-1-AP (SH3PXD2A antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human breast cancer using 18976-1-AP (SH3PXD2A antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of HepG2 cells using 18976-1-AP (SH3PXD2A antibody) at dilution of 1:25 and Rhodamine-Goat anti-Rabbit IgG.