

For Research Use Only

ZCCHC11 Polyclonal antibody

Catalog Number: 20119-1-AP **1 Publications**



Basic Information

Catalog Number: 20119-1-AP	GenBank Accession Number: BC048301	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 1500 µg/ml by Nanodrop and 627 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 23318	Recommended Dilutions: WB 1:500-1:1000 IHC 1:20-1:200 IF 1:10-1:100
Source: Rabbit	Full Name: zinc finger, CCHC domain containing 11	
Isotype: IgG	Calculated MW: 185 kDa	
Immunogen Catalog Number: AG13661	Observed MW: 185 kDa	

Applications

Tested Applications: IF, IHC, WB, ELISA	Positive Controls: WB : HeLa cells, human brain tissue
Cited Applications: IF, WB	IHC : human brain tissue, human testis tissue
Species Specificity: human	IF : HeLa cells,
Cited Species: human	

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

ZCCHC11, also named as KIAA0191 and TUT4, is an uridylyltransferase that acts as a suppressor of microRNA (miRNA) biogenesis by specifically mediating the terminal uridylation of some miRNAs. ZCCHC11 catalyzes the 3' uridylation of precursor let-7 (pre-let-7), a miRNA precursor. Uridylated pre-let-7 miRNAs fail to be processed by Dicer and undergo degradation. Degradation of pre-let-7 contributes to the maintenance of embryonic stem (ES) cells and is required for ES cells to maintain pluripotency. ZCCHC11 can't bind RNA by itself, recruited to pre-let-7 miRNAs via its interaction with LIN28 and LIN28B. Also catalyzes the 3' uridylation of miR-26A, a miRNA that represses IL6 transcript, leading to abrogate IL6 transcript repression and promote cytokine expression. ZCCHC11 may also suppress Toll-like receptor-induced NF-kappa-B activity via binding to T2BP.

Notable Publications

Author	Pubmed ID	Journal	Application
Anne Gaza	33901943	Neoplasia	WB,IF

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

***** 20ul sizes contain 0.1% BSA**


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




HeLa cells were subjected to SDS PAGE followed by western blot with 20119-1-AP (ZCCHC11 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human brain using 20119-1-AP (ZCCHC11 antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffin-embedded human brain using 20119-1-AP (ZCCHC11 antibody) at dilution of 1:50 (under 40x lens).



Immunofluorescent analysis of HeLa cells, using ZCCHC11 antibody 20119-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).