For Research Use Only

p300 Polyclonal antibody, PBS Only

Catalog Number: 20695-1-PBS





Catalog Number: 20695-1-PBS	GenBank Accession Number: NM 001429	Purification Method: Antigen affinity purification
Size: 100ug, Concentration: 1 mg/ml by Nanodrop; Source: Rabbit Isotype: IgG	GeneID (NCBI): 2033 UNIPROT ID: Q09472 Full Name: E1A binding protein p300 Calculated MW: 264 kDa Observed MW: 300 kDa	
Tested Applications: WB, IHC, Indirect ELISA Species Specificity: human, mouse, rat		
chromosomal histones and modulat activation of various gene transcript induced by ultraviolet or radiation.	es the chromatin conformation by a ions. p300 plays a critical role in DN o300 is overexpressed in various ty	cetylation of its histones, leading to NA repair synthesis after DNA damage
Storage: Store at -80°C. Storage Buffer: PBS Only		
	20695-1-PBS Size: 100ug, Concentration: 1 mg/ml by Nanodrop; Source: Rabbit Isotype: IgG Tested Applications: WB, IHC, Indirect ELISA Species Specificity: human, mouse, rat p300 is a 300 kDa global transcription chromosomal histones and modulat activation of various gene transcription induced by ultraviolet or radiation, p patient outcomes (PMID: 27322077). Storage: Storage Buffer:	20695-1-PBS NM_001429 Size: GeneID (NCBI): 10Oug, Concentration: 1 mg/ml by 2033 Nanodrop: UNIPROT ID: Source: Q09472 Rabbit Full Name: Isotype: E1A binding protein p300 IgG Calculated MW: 264 kDa Observed MW: 300 kDa Observed MW: 300 kDa Species Specificity: human, mouse, rat p300 is a 300 kDa global transcriptional coactivator with histone acetyl chromosomal histones and modulates the chromatin conformation by a activation of various gene transcriptions. p300 plays a critical role in DM induced by ultraviolet or radiation. p300 is overexpressed in various typ patient outcomes (PMID: 27322077). Storage: Storage Buffer:

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 20695-1-AP (p300 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 20695-1-PBS in a different storage buffer formulation.

Immunohistochemical analysis of paraffinembedded rat lung tissue slide using 20695-1-AP (p300 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 20695-1-PBS in a different storage buffer formulation.