For Research Use Only

MYH7B Polyclonal antibody Catalog Number:22300-1-AP




Basic Information	Catalog Number: 22300-1-AP	GenBank Accession Number: NM_020884	Purification Method: Antigen affinity purification		
	Size: 150ul, Concentration: 500 ug/ml by Nanodrop and 513 ug/ml by Bradford method using BSA as the standard; Source: Rabbit Isotype: IgG	GeneID (NCBI): 57644 UNIPROT ID: A7E2Y1	Recommended Dilutions: WB 1:500-1:1000		
				Full Name: myosin, heavy chain 7B, cardiac muscle, beta Calculated MW: 221 kDa	
		Observed MW: 200-230 kDa			
		Applications	Tested Applications: WB, ELISA	Positive Controls: WB : mouse heart tissue, rat heart tissue	
			Species Specificity: mouse, rat	WB : mouse	e neart tissue, rat neart tissue
Background Information	Myosin heavy chain 7b (MYH7b) is an ancient member of the myosin heavy chain motor protein family that is expressed in striated muscles. In mammalian cardiac muscle, MYH7b RNA is expressed along with two other myosin heavy chains, β -myosin heavy chain (β -MyHC) and α -myosin heavy chain (α -MyHC). However, unlike β -MyHC and α - MyHC, which are maintained in a careful balance at the protein level, the MYH7b locus does not produce a full- length protein in the heart due to a posttranscriptional exon-skipping mechanism that occurs in a tissue-specific manner (PMID: 33895132). MYH7b can be detected as about 200-230 kDa.				
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage				
*** 20ul sizes contain 0.1% BSA					

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 22300-1-AP (MYH7B antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.