## For Research Use Only

# p70(S6K) Polyclonal antibody

Catalog Number: 26587-1-AP

1 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 26587-1-AP BC053365

Size: GeneID (NCBI):

150ul , Concentration: 500  $\mu$ g/ml by 6198 Nanodrop and 333  $\mu$ g/ml by Bradford Full Name:

method using BSA as the standard; ribosomal protein S6 kinase, 70kDa,

Source: polypeptide 1
Rabbit Calculated MW:

Isotype: 59 kDa
IgG Observed MW:
Immunogen Catalog Number: 60-75 kDa

AG24073

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:200-1:1000

IP 0.5-4.0 ug for IP and 1:200-1:1000

for WB IHC 1:50-1:500 IF 1:50-1:500

**Applications** 

Tested Applications:

IF, IHC, IP, WB, ELISA

**Cited Applications:** 

WB

Species Specificity:

human
Cited Species:

pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: MCF-7 cells, A549 cells

IP: A549 cells,

IHC: human lung cancer tissue, human breast cancer

tissue

IF: A549 cells,

# **Background Information**

RPS6KB1(Ribosomal protein S6 kinase beta-1) is also named as STK14A, p70 S6KA and belongs to the S6 kinase subfamily. RPS6KB1 is a major substrate of MTOR and acts as a crucial effector of MTOR signaling pathway. It plays a key role in cell growth and proliferation by regulating INS sensitivity, metabolism, protein synthesis, and cell cycle. RPS6KB1 may play an important role in the progression of HCC and could serve as a potential molecular target for HCC therapy (PMID:22684641). RPS6KB1 is a 70 kDa protein and has 5 isoforms with the calculated molecular mass of 51-59kDa produced by alternative initiation.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Jane K Naberhuis	31503514	Am J Physiol Endocrinol Metab	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 26587-1-AP (p70(S6K) Antibody) at dilution of 1:200 (under 10x lens).




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 26587-1-AP (p70(S6K) Antibody) at dilution of 1:200 (under 40x lens).



MCF-7 cells were subjected to SDS PAGE followed by western blot with 26587-1-AP (p70(S6K) Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



IP Result of anti-p70(S6K) (IP:26587-1-AP, 4ug; Detection:26587-1-AP 1:300) with A549 cells lysate 1600ug.



Immunofluorescent analysis of (-20°C Ethanol) fixed A549 cells using 26587-1-AP (p70(S6K) antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).