For Research Use Only

SARS-CoV-2 S protein (428-506 aa) Polyclonal antibody Catalog Number:28901-1-AP




Basic Information	Catalog Number: 28901-1-AP	GenBank Accession Number: NC_045512	Purification Method: Antigen affinity purification				
	Size: 150ul, Concentration: 630 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG30684	GenelD (NCBI):	Recommended Dilutions: WB 1:1000-1:4000				
				Applications	Tested Applications: WB, ELISA	Positive Controls:	
					WB : Recombinant protein, Species Specificity: virus		nbinant protein,
				Background Information	Coronaviruses (CoVs) infect human and animals and cause varieties of diseases, including respiratory, enteric, renal, and neurological diseases. CoV uses its spike protein to recognize ACE2 as its receptors and mediate membrane fusion and virus entry into host cells(PMID: 32221306). Each monomer of trimeric S protein is about 180 kDa, and contains two subunits, S1 and S2,S1 recognizes and binds to host receptors, and subsequent conformationa changes in S2 facilitate fusion between the viral envelope and the host cell membrane(PMID: 19198616). Although the amino acid sequences of the S-glycoprotein were found to be different between the various HCoV, the structure showed high similarity, but the best 3D structural overlap shared by SARS-CoV and SARS-CoV-2, consistent with the shared ACE2 predicted receptor (PMID: 32522207). The spike protein of CoVs can be a target for vaccine and therapeutic development (PMID: 19198616). 28901-1-AP is specific for spike protein of SARS-COV-2, that antigen region is 428-506aa.		
	region is 428-506aa.		· · ·				
Storage	region is 428-506aa. Storage: Store at -20°C. Storage Buffer: PBS with 0.02% sodium azide and 50	9% glycerol pH 7.3.					

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Spike Glycoprotein with the domain 1-658aa expressed in HEK-293 cells were subjected to SDS PAGE followed by western blot with 28901-1-AP (SARS-CoV-2 Spike Glycoprotein (428-506 aa) Antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. SARS-CoV-2 Spike Glycoprotein (428-506aa) Antibody (28901-1-AP) tested by ELISA.SARS-CoV-2 Spike protein was coated onto microtiter plates at 0.15 µg/well and then incubated with a dilution series of SARS-CoV-2 Spike Glycoprotein (428-506aa) Antibody (28901-1-AP). Bound antibodies were detected with HRP conjugated anti-Rabbit IgG followed by incubation with HRP Substrate and then measuring the resulting absorbance at 450 nm.