For Research Use Only

WNT8A Polyclonal antibody, PBS Only

Catalog Number: 30518-1-PBS



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method:

Antigen affinity purification

30518-1-PBS

NM_001300938 GeneID (NCBI):

100ug, Concentration: 1 mg/ml by Nanodrop;

UNIPROT ID: Q9H1J5

Rabbit

Full Name:

Isotype: IgG

wingless-type MMTV integration site family, member 8A

Immunogen Catalog Number:

Calculated MW:

AG29510

39 kDa

Observed MW: 39-45 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, Indirect ELISA

Species Specificity:

human, rat

Background Information

WNT8A, also named as WNT8D, belongs to the Wnt family of secreted signaling proteins. It is a ligand for members of the frizzled family of seven transmembrane receptors. These have been implicated in oncogenes is and in several in the frizzled family of seven transmembrane receptors. These have been implicated in oncogenes and in several family of seven transmembrane receptors. These have been implicated in oncogenes and in several family of seven transmembrane receptors. These have been implicated in oncogenes and in several family of seven transmembrane receptors. These have been implicated in oncogenes and in several family of seven transmembrane receptors. These have been implicated in oncogenes and in several family of seven transmembrane receptors are seven for the family of seven transmembrane receptors. The seven family of sedevelopmental processes, including regulation of cell fate and patterning during embryogenesis. WNT8A may play an important role in the development and differentiation of certain forebrain structures, notably the hippocampus.


Storage

Storage:


Store at -80°C. Storage Buffer:

PBS Only


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 30518-1-AP (WNT8A antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 30518-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Ethanol) fixed HCT 116 cells using WNT8A antibody (30518-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L). This data was developed using the same antibody clone with 30518-1-PBS in a different storage buffer formulation



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 30518-1-AP (WNT8A antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Sodium Citrate buffer (pH 6.0). This data was developed using the same antibody clone with 30518-1-PBS in a different storage buffer formulation.