For Research Use Only

CD3EAP Polyclonal antibody

Catalog Number: 31162-1-AP



Purification Method:

WB 1:1000-1:4000 IF/ICC 1:250-1:1000

Antigen affinity Purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number:

31162-1-AP BC038992 GeneID (NCBI): 150ul , Concentration: 400 µg/ml by 10849

Nanodrop: **UNIPROT ID:** 015446 Rabbit Full Name:

Isotype: CD3e molecule, epsilon associated

IgG protein

Immunogen Catalog Number: Calculated MW: 510 aa, 55 kDa AG35074 Observed MW:

80-90 kDa

Applications

Tested Applications: Positive Controls:

WB, IF, ELISA WB: A431 cells, A549 cells, HeLa cells

Species Specificity: IF/ICC: A431 cells,

Background Information

Human RNA polymerase I (Pol I)-specific subunit, previously identified as ASE-1 and as CD3ε-associated signal $transducer (CAST), CD3EAP is a 55 kDa \ nucleolar \ autoantigen \ that \ has an apparent \ molecular \ mass \ of 90 kDa \ (PMID: PMID: P$ 11199923). CD3EAP/hPAF49 contains a single tyrosine residue at position 82 (Tyr82), which is phosphorylated upon stimulation of the T-cell receptor. Western blot analysis detected CD3EAP at an apparent molecular mass of ~80-90

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 31162-1-AP (CD3EAP antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed A431 cells using CD3EAP antibody (31162-1-AP) at dilution of 1:500 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).