### For Research Use Only

# TRIM63 Polyclonal antibody

Catalog Number: 55456-1-AP

Featured Product

88 Publications

GenBank Accession Number:



**Basic Information** 

Catalog Number:

150ul , Concentration: 700 ug/ml by 84676

Nanodrop; UNIPROT ID:
Source: Q969Q1
Rabbit Full Name:

Isotype: tripartite motif-containing 63

IgG Calculated MW:

40 kDa Observed MW: 40-45 kDa Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:1000-1:8000 IHC 1:50-1:500 IF-P 1:50-1:500

IF/ICC 1:200-1:800

**Applications** 

**Tested Applications:** 

WB, IHC, IF/ICC, IF-P, ELISA

**Cited Applications:** 

WB, IHC

Species Specificity: human, mouse, rat

Cited Species:

human, mouse, rat, pig, canine, chicken, zebrafish

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: mouse skeletal muscle tissue, rat skeletal muscle

tissue

IHC: mouse skeletal muscle tissue, human heart tissue, human skeletal muscle tissue, mouse heart tissue, rat brain tissue

IF-P: mouse skeletal muscle tissue,

IF/ICC: HeLa cells,

# **Background Information**

TRIM63, also named as IRF, MURF1, RNF28 and SMRZ, is E3 ubiquitin ligase. It is regulates proteasomal degradation of cardiac troponin I/TNNI3 and probably of other sarcomeric-associated proteins. TRIM63 may play a role in striated muscle atrophy and hypertrophy by regulating an anti-hypertrophic PKC-mediated signaling pathway. It may regulate the organization of myofibrils through TTN in muscle cells. TRIM63 is in muscle-specific expression.

#### **Notable Publications**

| Author         | Pubmed ID | Journal                   | Application |
|----------------|-----------|---------------------------|-------------|
| Wenliang Zhang | 34580406  | Sci Rep                   | WB          |
| Huiquan Liu    | 31615487  | BMC Complement Altern Med | WB          |
| Lai Wang       | 33034787  | Cell Biol Toxicol         | WB          |

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## **Selected Validation Data**




Immunohistochemical analysis of paraffinembedded mouse skeletal muscle tissue slide using 55456-1-AP (TRIM63 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse skeletal muscle tissue slide using 55456-1-AP (TRIM63 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 55456-1-AP (TRIM63 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse skeletal muscle tissue using TRIM63 antibody (55456-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed Hela cells using TRIM63 antibody (55456-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2).