For Research Use Only

## EPHA1-specific Monoclonal antibody, proteintech® PBS Only

www.ptglab.com

Catalog Number: 60155-2-PBS

**Basic Information** 

Catalog Number:

60155-2-PBS

100ug, Concentration: 1 mg/ml by Nanodrop:

Source: Mouse

Isotype: lgG1

GenBank Accession Number:

BC130291 GeneID (NCBI):

**UNIPROT ID:** P21709

Full Name: EPH receptor A1 Calculated MW:

108 kDa Observed MW: 108 kDa

**Purification Method:** 

Caprylic acid/ammonium sulfate

precipitation

CloneNo.: 1B7C3

**Applications** 

**Tested Applications:** WB, IHC, Indirect ELISA Species Specificity:

human


**Background Information** 

EPHA1, also named as EPH, EPHT and EPHT1, belongs to ephrin receptor subfamily of the protein-tyrosine kinase family. EPH and EPH-related receptors have been implicated in mediating developmental events, particularly in the nervous system. Receptors in the EPH subfamily typically have a single kinase domain and an extracellular region containing a Cys-rich domain and 2 fibronectin type III repeats. Ligands in the ephrin-A subclass, including the prototype family member ephrin-A1 (B61), are membrane associated through glycosylphosphatidyl-inositol linkages, whereas ephrin-B subclass consists of ligands with transmembrane domains. The general role of the Eph family is in mediating repulsive cell-cell interaction.


Storage

Storage: Store at -80°C. Storage Buffer: PBS Only


## **Selected Validation Data**



HeLa cells were subjected to SDS PAGE followed by western blot with 60155-2-lg (EPHA1-specific antibody at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 60155-2-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 60155-2-Ig (EPHA1-specific antibody at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 60155-2-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 60155-2-Ig (EPHA 1-specific antibody at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 60155-2-PBS in a different storage buffer formulation.