

For Research Use Only

# BID Monoclonal antibody, PBS Only

Catalog Number: 60301-1-PBS

Featured Product



## Basic Information

Catalog Number:

60301-1-PBS

Size:

100ug, Concentration: 1 mg/ml by Nanodrop;

Source:

Mouse

Isotype:

IgG1

Immunogen Catalog Number:

AG21005

GenBank Accession Number:

BC009197

GeneID (NCBI):

637

UNIPROT ID:

P55957

Full Name:

BH3 interacting domain death agonist

Calculated MW:

22 kDa

Observed MW:

22 kDa

Purification Method:

Protein A purification

CloneNo.:

2A2E5

## Applications

Tested Applications:

WB, IF, IHC, Indirect ELISA

Species Specificity:

human

## Background Information

BID, also named as p22 BID, can be cleaved into p11 BID, p13 BID and p15 BID. It is pro-apoptotic molecules. The major proteolytic product p15 BID allows the release of cytochrome c. BID-L, BID-EL and BID-ES induce ICE-like proteases and apoptosis. BID-S does not induce apoptosis. BID counters the protective effect of Bcl-2. (PMID:14583606).

## Storage

Storage:

Store at -80°C.

Storage Buffer:

PBS Only


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




WB result of BID antibody (60301-1-Ig, 1:8000) with si-Control and si-BID transfected HeLa cells. This data was developed using the same antibody clone with 60301-1-PBS in a different storage buffer formulation.




HeLa cells were subjected to SDS PAGE followed by western blot with 60301-1-Ig (BID Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 60301-1-PBS in a different storage buffer formulation.




Jurkat cells were subjected to SDS PAGE followed by western blot with 60301-1-Ig (BID Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 60301-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 60301-1-Ig (BID Antibody) at dilution of 1:900 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 60301-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 60301-1-Ig (BID Antibody) at dilution of 1:900 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 60301-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of HeLa cells using 60301-1-Ig (BID antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG (H+L). This data was developed using the same antibody clone with 60301-1-PBS in a different storage buffer formulation.