For Research Use Only

IL-2 Monoclonal antibody, PBS Only

Catalog Number: 60306-1-PBS



Purification Method:

CloneNo.:

2F11C5

Protein A purification

Basic Information

Catalog Number: 60306-1-PBS

Size:

GenBank Accession Number:

BC070338

GeneID (NCBI):

100ug, Concentration: 1mg/ml by

3558

Nanodrop; **UNIPROT ID:** P60568 Source:

Mouse Full Name: Isotype: interleukin 2 lgG2a Calculated MW:

153 aa, 18 kDa Immunogen Catalog Number: AG10199 Observed MW:

18 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, IF-P, Indirect ELISA

Species Specificity:

human

Background Information


IL2 is a secreted cytokine involved in the operation and regulation of immune system. IL2 plays a pivotal role in Tcell activation and effector functions, including T cell proliferation, interferon-y production and cytotoxicity. IL2 can stimulate the propagation of lymphocytes and induce the cytotoxic T lymphocytes and lymphokine-activated killer cells for tumor cells. IL2 also influences memory T cell homeostasis through the regulation of memory T cell numbers and enhances major histocompatibility complex II (MHC II) expression on tumor cells.

Storage


Storage: Store at -80°C. Storage Buffer:

PBS Only


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 60306-1-lg (Il-2 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 60306-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 60306-1-lg (IL2 Antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieved with Tris-EDTA buffer, pH9.0. This data was developed using the same antibody clone with 60306-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 60306-1-lg (IL2 Antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieved with Tris-EDTA buffer, pH9.0. This data was developed using the same antibody clone with 60306-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded human tonsillitis tissue using IL-2 antibody (60306-1-Ig, Clone: 2F11C5) at dilution of 1:400 and Multi-rAb Coralite ® Plus 488-Goat Anti-Mouse Recombinant Secondary Antibody (H+L) (RGAM002). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 60306-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed Jurkat cells using IL-2 antibody (60306-1-Ig, Clone: 2F11C5) at dilution of 1:800 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L) (SA00013-1). This data was developed using the same antibody clone with 60306-1-PBS in a different storage buffer formulation.