## For Research Use Only

## Anti-Human IL-10 (7B8G3)

Catalog Number: 65286-1-lg



**Basic Information** 

Catalog Number:

GenBank Accession Number:

Purification Method: Affinity purification

65286-1-lg Size:

GeneID (NCBI):

CloneNo.:

100ug , 1000  $\mu g/ml$ 

3586 Full Name:

BC104252

7B8G3

Source:

Mouse interleukin 10
Isotype: Calculated MW:

IgG2b 21 kDa Immunogen Catalog Number:

HZ-1145

**Applications** 

**Tested Applications:** 

FC

Species Specificity:

human

## **Background Information**

Interleukin (IL)-10 is an anti-inflammatory cytokine, produced by T helper (Th) cells, macrophages, monocytes, and B cells, that plays a crucial role in preventing inflammatory and autoimmune pathologies. It downregulates the expression of Th1 cytokines, MHC class II antigens, and co-stimulatory molecules on macrophages. It also enhances B cell survival, proliferation, and antibody production. IL-10 can block NF-kB activity, and is involved in the regulation of the JAK-STAT signaling pathway. IL-10, along with its receptors, describes an important role in pathogenesis of various diseases, including infectious, inflammatory, autoimmune diseases. IL-10 mutations are associated with an increased susceptibility to HIV-1 infection and rheumatoid arthritis.

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide.

## **Selected Validation Data**



1X10^6 LPS and Brefeldin A treated human PBMCs were intracellularly stained with 0.2 ug Coralite® Plus 488 Anti-Human IL-10 (CL488-65286, Clone:788G3) or Mouse IgG2b Isotype Control. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011). Monocytes were gated. This data was developed using the Coralite ® Plus 488 conjugated antibody of 65286-1-Ig.



1X10^6 LPS and Brefeldin A treated human PBMCs were intracellularly stained with 0.2 ug CoraLite® Plus 488 Anti-Human IL-10 (CL488-65286, Clone:7B8G3) (red) or Mouse IgG2b Isotype Control (blue), or unactivated and Brefeldin A treated human PBMCs were intracellularly stained with 0.2 ug CoraLite® Plus 488 Anti-Human IL-10 (CL488-65286, Clone:7B8G3) (black, dashed line). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit

