For Research Use Only

Anti-Rat CD8a (OX-8) Mouse IgG2a Recombinant Antibody



Catalog Number:65577-1-MR

Basic Information

Catalog Number:

65577-1-MR

Size:

100ug , 1 mg/ml

Mouse Isotype: lgG2a

Source:

GenBank Accession Number:

BC088126 GeneID (NCBI):

24930 Full Name:

CD8a molecule

Purification Method: Protein A purification

CloneNo.: ОХ-8

Applications

Tested Applications:

Species Specificity:

Rat

Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8a or as a heterodimer of CD8a and CD8β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8αβ heterodimer while CD8αα homodimers alone have been found on some gut intraepithelial T cells , on some T cell receptor (TCR) $\gamma\delta$ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).


Storage

Store at 2-8°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide.

Selected Validation Data



1x10^6 rat splenocytes were surface stained with 0.25 ug Anti-Rat CD8a Mouse IgG2a Recombinant Antibody (65577-1-MR, Clone: OX-8) or Mouse IgG2a Isotype Control (65208-1-Ig, Clone: C1.18.4) and FITC anti-Mouse IgG2a Antibody. Cells were then stained with APC Anti-Rat CD4. Cells were not fixed



1x10^6 rat splenocytes were surface stained with 0.25 ug Anti-Rat CD8 Mouse IgG2a Recombinant Antibody (65577-1-MR, Clone:0X-8) (red) or Mouse IgG2a Isotype Control (65208-1-Ig, Clone: C1.18.4) (blue) and FITC anti-Mouse IgG2a Antibody. Cells were not fixed.