

For Research Use Only

# CUL4A Monoclonal antibody, PBS Only



Catalog Number: 66038-1-PBS

Featured Product

## Basic Information

Catalog Number:

66038-1-PBS

Size:

100ug, Concentration: 1 mg/ml by Nanodrop;

Source:

Mouse

Isotype:

IgG1

Immunogen Catalog Number:

AG18089

GenBank Accession Number:

BC008308

GeneID (NCBI):

8451

UNIPROT ID:

Q13619

Full Name:

cullin 4A

Calculated MW:

77 kDa

Observed MW:

77 kDa, 88 kDa

Purification Method:

Protein A purification

CloneNo.:

1A7F12

## Applications

Tested Applications:

WB, IP, IF, IHC, Indirect ELISA

Species Specificity:

human, monkey, mouse, rat, pig

## Background Information

Cullin proteins assemble a large number of RING E3 ubiquitin ligases, participating in the proteolysis through the ubiquitin-proteasome pathway. Two cullin 4 (CUL4) proteins, CUL4A (87 kDa) and CUL4B(104 kDa), have been identified. The two CUL4 sequences are 83% identical. They target certain proteins for degradation by binding protein DDB1 to form a CUL4-DDB1 ubiquitin ligase complex with DDB. They form two individual E3 ligases, DDB1-CUL4ADDB2 and DDB1-CUL4BDD2 in this process. CUL4A appeared in both the nucleus and the cytosol, suggesting a more complex mechanism for entering the nucleus. CUL4B is localized in the nucleus and facilitates the transfer of DDB1 into the nucleus independently of DDB2.

## Storage

Storage:

Store at -80°C.

Storage Buffer:

PBS Only


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66038-1-Ig (CUL4A antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 66038-1-PBS in a different storage buffer formulation.




IP result of anti-CUL4A (IP:66038-1-Ig, 4ug; Detection:66038-1-Ig 1:500) with MCF-7 cells lysate 2800ug. This data was developed using the same antibody clone with 66038-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded human heart tissue slide using 66038-1-Ig (CUL4A Antibody) at dilution of 1:200 (under 10x lens). This data was developed using the same antibody clone with 66038-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded human heart tissue slide using 66038-1-Ig (CUL4A Antibody) at dilution of 1:200 (under 40x lens). This data was developed using the same antibody clone with 66038-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of HepG2 cells using 66038-1-Ig (CUL4A antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG (H+L). This data was developed using the same antibody clone with 66038-1-PBS in a different storage buffer formulation.