# For Research Use Only

# IFITM2/3 Monoclonal antibody

Catalog Number:66081-1-lg

Featured Product

18 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: BC070243

66081-1-lg GeneID (NCBI): CloneNo.:

150ul, Concentration: 2100 ug/ml by 10410 2E8D12

Nanodrop and 1000 ug/ml by Bradford Full Name:

method using BSA as the standard; interferon induced transmembrane Source: protein 3 (1-8U)

Mouse Observed MW: Isotype: 15-20 kDa

lgG1

Immunogen Catalog Number:

AG17863

**Tested Applications: Applications** 

Cited Applications: WB, IHC, IF, IP

Species Specificity:

**Cited Species:** human

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Purification Method:** 

Protein A purification

Recommended Dilutions:

WB 1:5000-1:50000 IHC 1:500-1:2000 IF/ICC 1:200-1:800

WB, IHC, IF/ICC, ELISA

### Positive Controls:

WB: U2OS cells, THP-1 cells, HL-60 cells, K-562 cells, Jurkat cells, MCF-7 cells, HeLa cells, LNCaP cells, A549

IHC: human liver cancer tissue.

IF/ICC : HeLa cells.

# **Background Information**

IFITM3, also named as interferon-inducible protein 1-8U, belongs to the CD225 family. It is IFN-induced antiviral protein that mediates cellular innate immunity to at least three major human pathogens, namely influenza A H1N1 virus, West Nile virus (WNV), and dengue virus, by inhibiting the early steps of replication. IFITM3 is identified as  $interferon-induced\ cellular\ proteins\ that\ restrict\ infections\ by\ retroviruses\ and\ filoviruses\ and\ of\ influenza\ virus\ and\ protein\ filoviruses\ and\ of\ influenza\ virus\ and\ protein\ filoviruses\ filoviruses\$ flaviviruses, respectively. IFITM3, the most potent antiviral IFITM, was found to inhibit an uncharacterized early and the statement of the property of theinfectious event after VSV endocytosis, but before primary transcription of its viral genome. IFITM proteins are viral restriction factors that can inhibit infection mediated by the influenza A virus (IAV) hemagglutinin (HA) protein. They differentially restrict the entry of a broad range of enveloped viruses, and modulate cellular tropism independently of viral receptor expression. This antibody recognizes both IFITM2 and IFITM3.

## **Notable Publications**

Author	Pubmed ID	Journal	Application
Alex A Compton	27601221	EMBO Rep	WB
Julian Buchrieser	33051876	EMBO J	IF,FC
Guoli Shi	30301809	Proc Natl Acad Sci U S A	WB,IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


# **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 66081-1-lg (IFITM2/3 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 66081-1-1g (IFITM2/3 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed Hela cells using IFITM2/3 antibody (66081-1-Ig, Clone: 2E8D12 ) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L).