For Research Use Only

FUT8 Monoclonal antibody, PBS Only

Catalog Number:66118-1-PBS

Featured Product



Basic Information

Catalog Number: 66118-1-PBS Size: 100ug , Concentration: 1mg/ml by Nanodrop; Source: Mouse Isotype: IgG2a Immunogen Catalog Number: AG18769 GenBank Accession Number: BC025385 GeneID (NCBI): 2530 UNIPROT ID: Q9BYC5 Full Name: fucosyltransferase 8 (alpha (1,6) fucosyltransferase) Calculated MW: 66 kDa Observed MW: 66 kDa

Purification Method: Protein A purification CloneNo.: 2F7H2

Applications

Tested Applications: WB, IHC, Indirect ELISA Species Specificity: human

Background Information

Fucosyltransferase 8 (FUT8) is GDP-fucose-glycoprotein fucosyltransferase and is localized in Golgi apparatus. FUT8 is involved in protein glycosylation by catalyzing the addition of fucose in alpha 1-6 linkage to the first GlcNAc residue, next to the peptide chains in N-glycans. FUT8 may be involved in human aging by regulating protein N-glycosylation and in the molecular pathogenesis of human pulmonary emphysema (PE).


Storage

Storage: Store at -80°C. Storage Buffer: PBS Only


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




MDA-MB-231 cells were subjected to SDS PAGE followed by western blot with 66118-1-Ig (FUT8 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66118-1-PBS in a different storage buffer formulation.



WB result of FUT8 antibody (66118-1-Ig; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-FUT8 transfected MCF-7 cells. This data was developed using the same antibody clone with 66118-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66118-1-1g (FUT8 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66118-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66118-1-1g (FUT8 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66118-1-PBS in a different storage buffer formulation.