## For Research Use Only

## LIG4 Monoclonal antibody, PBS Only

Catalog Number:66705-1-PBS



**Basic Information** 

Catalog Number:

GenBank Accession Number:

**Purification Method:** 

66705-1-PBS

GeneID (NCBI):

Protein A purification

Size:

BC037491

CloneNo.: 1H6C11

100ug, Concentration: 1 mg/ml by

Nanodrop;

**UNIPROT ID:** 

Full Name:

P49917

Mouse Isotype:

ligase IV, DNA, ATP-dependent

IgG2a

Calculated MW: 911 aa, 104 kDa

Immunogen Catalog Number: AG3385

Observed MW:

100-104 kDa

**Applications** 

**Tested Applications:** 

WB, IF, Indirect ELISA

Species Specificity:

Human

**Background Information** 

Two major pathways, homologous recombination (HR) and nonhomologous end joining (NHEJ), counteract one of themost toxic lesions, the DSB. The core protein complex mediating NHEJ in mammals includes DNA ligase IV (Lig4). Lig4 belongs to an ATP-dependent DNA ligase family, and joins single-strand brdownloadeaks in a doublestranded polydeoxynucleotide in an ATP-dependent reaction. The complex Lig4-XRCC4 is responsible for the NHEJ ligation step, and XRCC4 enhances the joining activity of Lig4.


Storage

Storage:


Store at -80°C. Storage Buffer:

PBS Only

## **Selected Validation Data**



PC-3 cells were subjected to SDS PAGE followed by western blot with 66705-1-lg (LIG4 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66705-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using 66705-1-lg (IIG4 antibody) at dilution of 1:100 and Alexa Fluor 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66705-1-PBS in a different storage buffer formulation.