For Research Use Only

CD90 Monoclonal antibody

Catalog Number:66766-1-lg 36 Publications



Basic Information

Catalog Number: GenBank Accession Number:

66766-1-lg BC065559 GeneID (NCBI): Size: 150ul, Concentration: 2300 ug/ml by 7070

Nanodrop and 1000 ug/ml by Bradford_{UNIPROT ID:} method using BSA as the standard; P04216 Source:

Mouse Thy-1 cell surface antigen

Full Name:

Isotype: Calculated MW: lgG2a 161 aa, 18 kDa Immunogen Catalog Number: Observed MW: AG25603 28 kDa

Purification Method: Protein A purification

CloneNo.:

2D7D11

Recommended Dilutions: WB 1:2000-1:10000 IHC 1:500-1:2000 IF-P 1:50-1:500

Applications

Tested Applications: WB, IHC, IF-P, ELISA

Cited Applications: WB, IHC, IF

Species Specificity: human, mouse, rat, pig, rabbit

Cited Species:

human, mouse, rat, pig, rabbit, bovine

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: fetal human brain tissue, rabbit brain tissue, U2OS cells, human kidney tissue, pig brain tissue, pig spleen tissue, pig colon tissue

IHC: human tonsillitis tissue, human colon cancer tissue, human gliomas tissue, human lung cancer tissue, mouse liver tissue

IF-P: human tonsillitis tissue.

Background Information

CD90, also known as THY1, is a 25-35 kD protein that is expressed on 1-4% of human fetal liver cells, cord blood cells, and bone marrow cells. CD90 is one of the essential surface molecules expressed on human MSC from bone marrow and other sources. Activation of Thy-1 has been reported to promote T cell activation. It also affects numerous nonimmunologic biological processes, including cellular adhesion, neurite outgrowth, tumor growth, migration, and cell death.

Notable Publications

Author	Pubmed ID	Journal	Application
Muhua Huang	34493162	Pharm Biol	IF
Yunan Wang	36370625	Tissue Cell	IF
Qi Li	32125888	Cell Reprogram	

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66766-1-1g (CD90 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66766-1-1g (CD90 antibody) at dilution of 1:1000 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66766-1-1g (CD90 antibody) at dilution of 1:1000 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using 66766-1-1g (CD90 antibody) at dilution of 1:100 and Alexa Fluor 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using 66766-1-1g (CD90 antibody) at dilution of 1:100 and Alexa Fluor 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66766-1-Ig (CD90 antibody) at dilution of 1:4000 (under 4x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).