

For Research Use Only

# RGS3 Monoclonal antibody, PBS Only



Catalog Number: 66790-1-PBS

## Basic Information

<b>Catalog Number:</b> 66790-1-PBS	<b>GenBank Accession Number:</b> BC018072	<b>Purification Method:</b> Protein A purification
<b>Size:</b> 100ug, Concentration: 1 mg/ml by Nanodrop;	<b>GeneID (NCBI):</b> 5998	<b>CloneNo.:</b> 1D6A3
<b>Source:</b> Mouse	<b>UNIPROT ID:</b> P49796	
<b>Isotype:</b> IgG1	<b>Full Name:</b> regulator of G-protein signaling 3	
<b>Immunogen Catalog Number:</b> AG3177	<b>Calculated MW:</b> 1198 aa, 132 kDa	
	<b>Observed MW:</b> 140 kDa	

## Applications

**Tested Applications:**  
WB, ELISA

**Species Specificity:**  
Human

## Background Information

RGS3 belongs to a family of proteins which share the core regulator of G-protein signalling (RGS) domain and function as GTPase-activating proteins (GAPs) for the  $\alpha$  subunit of heterotrimeric G-proteins. RGS3 has been reported to inhibit the Gai- and Gaq-mediated signalling pathways in the cardiovascular system, including those acting via the cardiovascular signalling molecules angiotensin II (Ang II), sphingosine 1-phosphate and endothelin-1. Alternative splicing and the use of alternative promoters results in multiple transcript variants encoding different isoforms. Long isoforms are largely cytosolic and plasma membrane-associated with a function in Wnt signaling and in the epithelial mesenchymal transition, while shorter N-terminally-truncated isoforms can be nuclear.

## Storage


**Storage:**  
Store at -80°C.

**Storage Buffer:**  
PBS only

For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)      E: proteintech@ptglab.com  
W: ptglab.com

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**

## Selected Validation Data



Jurkat cells were subjected to SDS PAGE followed by western blot with 66790-1-Ig (RG53 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66790-1-PBS in a different storage buffer formulation.